SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)



UNIT 02 RANGE VOL 1 | NOV 2025

CERAMICA

CLADOR
collection

300 x 600mm

SOMANY











High Depth

CLADOR

MAJESTIC AVATAR OF NATURE

PRIMITIVELY CLASSIC

Infuse your interiors with the pristine and ingenious charmof nature with cladding tiles that not just clad the walls, but elevate the elegance of the ambiance.



ADD TEXTURES OF BEAUTY AROUND YOU

300 x 600mm

INDEX

Anticato Beige

08

Frassino Natural

11

Frassino Gris

12

Zirconio Brown

15

Jupiter Natural

16

Jupiter Gris

19

Jupiter Beige

20

Jupiter Olive

23

Marte Olive

24

Basalto Beige

27

Basalto Brown

28

Basalto Natural

31

Barite Brown

32

Barite Cotto

35

Barite Gris

36



Anticato Beige





300x
600mm

WALL CLADDING

RUSTIC COLLECTION

VI

WALL: ANTICATO BEIGE
SIZE: 303x600mm | MATT

CLADOR



The Veil of
Enchantment

CLADOR

WALL: FRASSINO NATURAL
SIZE: 300X600mm | MATT





Frassino Natural





300x
600mm

WALL CLADDING

RUSTIC COLLECTION

Add Textures of
Beauty Around You

WALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH



Frassino Gris





300x
600mm

WALL CLADDING

RUSTIC COLLECTION

V1

WALL: FRASSINO GRIS
SIZE: 303x600mm | MATT



WALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH

A Whole New
Perspective To Design

CLADOR

WALL: ZIRCONIO BROWN
SIZE: 300X600mm | MATT





Zirconio Brown





VI

300x
600mm

WALL CLADDING

RUSTIC COLLECTION

Make Dreams
Possible

WALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH



Jupiter Natural





V2

300x
600mm

WALL CLADDING

RUSTIC COLLECTION



WALL: JUPITER NATURAL
SIZE: 303x600mm | MATT

CLADOR



The Heightened
View of Vibrancy

CLADOR

WALL: JUPITER GRIS
SIZE: 303x600mm | MATT





Jupiter Gris





V2

300x
600mm

WALL CLADDING

RUSTIC COLLECTION

ALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH

Make a Tall Claim in
Magnificence



Jupiter Beige



V2


300x
600mm

WALL CLADDING

RUSTIC COLLECTION

WALL: JUPITER BEIGE
SIZE: 303x600mm | MATT

CLADOR



Designs That
Reflect Your Style

CLADOR

WALL: JUPITER OLIVE
SIZE: 303x600mm | MATT





Jupiter Olive





V2

300x
600mm

WALL CLADDING


RUSTIC COLLECTION

WALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH

Nature Re-Imagined
In Stones



Marte Olive



300x
600mm

WALL CLADDING

RUSTIC COLLECTION

V1

WALL: MARTE OLIVE
SIZE: 303x600mm | MATT

CLADOR



WALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH

Majestic Avatar
of Nature

CLADOR

WALL: BASALTO BEIGE
SIZE: 303x600mm | MATT





Basalto Beige





V2

300x
600mm

WALL CLADDING

RUSTIC COLLECTION

A Fresh Outlook
of Awesomeness



Basalto Brown



V2

300x
600mm

WALL CLADDING

RUSTIC COLLECTION



WALL: BASALTO BROWN
SIZE: 303x600mm | MATT

CLADOR



Rustic Charm.
Robust Appeal.

CLADOR

WALL: BASALTO NATURAL
SIZE: 303x600mm | MATT





Basalto Natural





V2

300x
600mm

WALL CLADDING

RUSTIC COLLECTION

WALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH



Barite Brown





300x
600mm

WALL CLADDING

RUSTIC COLLECTION

V4

WALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH

WALL: BARITE BROWN
SIZE: 300X600mm | MATT

CLADOR



Ascent to
Aesthetic Elegance


CLADOR

WALL: BARITE COTTO
SIZE: 303x600mm | MATT





Barite Cotto



V4

300x
600mm

WALL CLADDING

RUSTIC COLLECTION

WALL TILES · INTERIOR · EXTERIOR · TEMPERATURE RESISTANT · DEEP PUNCH

A Forever
Stylish Classic




WALL: BARITE BROWN
SIZE: 300X600mm | MATT

CLADOR



Barite Gris



300x
600mm

WALL CLADDING

RUSTIC COLLECTION

V4


WALL TILES | INTERIOR | EXTERIOR | TEMPERATURE RESISTANT | DEEP PUNCH

Meet The Mesmerizing
Monotones


DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).


Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation



V2 Slight Variation



V3 Moderate Variation



V4 Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation

V3 Moderate Variation V4 Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR 300x600MM WALL TILES				
Nominal Size (mm)	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
300x600mm (Clador Series)	8.80 ~ 11.00mm	14.000 ~ 15.200 Kg	5 Pcs	0.90 Sq. mtr. / 9.68 sq. ft.

TECHNICAL SPECIFICATION FOR 300x600MM WALL TILES				
Characteristics	Requirment as per IS 15622: 2017 E ≥ 10, Group BIII	Requirements as per ISO 13006 E ≥ 10, Group BIII	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.20%	± 0.30%	± 0.1%	IS 13630 Part 1/ISO 10454-2
ii) Thickness	± 5.0%	± 10.0%	± 4.0%	
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.1%	
iv) Rectangularity	± 0.20%	± 0.30%	± 0.2%	
v) Surface Flatness				
a) Center Curvature (%) (Max.Deviation)	± 0.30%	± 0.40%	± 0.22 %	
b) Edge Curvature (%) (Max.Deviation)	± 0.30%	± 0.40%	± 0.22 %	
c) Corner Warpage (%) (Max.Deviation)	± 0.30%	± 0.40%	± 0.22 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	
B) Physical Properties				
i) Water Absorption	E ≥ 10 %. (when the value exceeds 20 % this shall be indicated by the manufacturer) Individual 9 percent, Min.	E ≥ 10 %. (when the value exceeds 20 % this shall be indicated by the manufacturer) Individual 9 percent, Min.	Avg. 10-20 %	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Min 12	Average Min 12	Average Min 15	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min 600	Not Less than 600	Min 600	
iv) Scratch Hardness of Surface (Mohs)	Min 3	Required	Min 3	IS 13630 Part 13
v) Coefficient of Liner Thermal Expansion From Ambient Temperature to 100° C	9 X 10^{-6} K^{-1} max	Required	8 X 10^{-6} K^{-1} max	IS 13630 Part 4/ISO 10545-8
vi) Thermal Resistant	10 cycle min	10 cycle min	10 cycle min	IS 13630 Part 5/ISO 10545-9
vii) Crazing Resistant	4 cycle @ 7.5bar min	Manufacturer to Declared	4 Cycle @ 7.5 bar Min	IS 13630 Part 9/ISO 10545-11
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Required	Class-1	IS 13630 Part 8 /ISO 10545-13 & ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Required	Min Class AA	
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if agreed	Required	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customes check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

TILE VISUALISER



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces — walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions view the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Gizo Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit







Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com