SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

COVERSTONE | CAT | DECEMBER 2024

COVERSTONE

1200x1800mm

15mm thickness



SOMANY



COVERSTONE'S TIMELESS CHARM
WITH ART IN EVERY DETAIL

COVERSTONE

BOLD TEXTURES, RADIANT FLAKES, & GLEAMING PERFECTION


SOMANY COVERSTONE is the epitome of innovation and artistry, seamlessly merging cutting-edge design with unparalleled size superiority. True to its name, **COVERSTONE** embodies sophistication with its rich textures, vibrant colours, and exclusive designs that set a new standard for elegance and luxury.

Powered by advanced **FCS technology,** the COVERSTONE range offers unmatched innovation and performance. With a thickness of 15mm, available in both full-body and coloured-body options, COVERSTONE delivers exceptional versatility. Slab sizes start from 1200x1800mm and extend beyond, unlocking limitless possibilities for design and application.

Easy to clean and hygienic, it is also scratch-resistant, fire-resistant, and impact-resistant, making it a practical and durable choice for any setting.

Whether used as a worktop, kitchen countertop, wall cladding, flooring, or in lobbies, receptions, and bath spaces, COVERSTONE's impressive qualities will captivate and inspire.

- **Continuous surface with minimised grout lines:** A seamless aesthetic while reducing maintenance.
- **Aesthetic appeal:** Delivers beautiful, high-performing surfaces for any space.
- **Enhanced workability:** Easy to cut, handle, and install, ensuring faster application.
- **Versatile application:** Suitable for more than just walls and floors.



APPLICATION AREAS

These versatile slabs can be used in various settings, such as homes, restaurants, hotels, and more, offering immense potential in construction, furniture, and architectural design.


WALL APPLICATIONS
FLOOR APPLICATIONS
LIFT AND LOBBY
RECEPTION AREA
DINING TABLE
SHOWER BASE
WASH BASIN
BATHTUB
STAIRCASE
KITCHEN COUNTER TOP
VANITY COUNTER TOP
TABLE TOP

APPROACH AREAS

RESIDENTIAL AREAS
COMMERCIAL AREAS
HOSPITALS
SHOPS AND MALLS
HOTELS AND RESTAURANTS
SCHOOLS AND COLLEGES
RELIGIOUS PLACES
RAILWAY STATIONS
PARKS AND OUTDOORS
PUBLIC PLACES

EDGE PROFILE

COVERSTONE offers various edge profiles that are made possible with its true body 15mm profile. The different edge finishes add a stylish and modern appeal to these surfaces.











EACH SHADE TELLS A *story*

15 ELECTRA BONE 180
Page No. 16



15 ELECTRA GRIGE 180
Page No. 17



15 LEIA CREMA 180
Page No. 28

15 LEIA BERLY 180
Page No. 29



15 PEARL WHITE 180
Page No. 30



15 LASA BIANCO 180
Page No. 38



15 VENATO BIANCO 180
Page No. 39



INDEX

15 ALASKA NATURAL 180
Page No. 44



15 CARARA WHITE 180
Page No. 45



15 STATUARIO EMINENCE 180
Page No. 50



15 ESSENCE BEIGE 180
Page No. 51



15 BURBURRY CREMA 180
Page No. 56




15 PIETRA ROMA 180
Page No. 57



15 BRECCIA SARDA 180
Page No. 62



COVERSTONE



15 MM
Thickness

1200x1800mm

QUILL GLAM
SERIES

QUILL GLAM offers a unique fusion of elegance and sparkle, designed to transform any space into a masterpiece. The tiny gleaming grains embedded in the surface create a mesmerising interplay of light and texture. This surface harmoniously combines the subtle sophistication of a matte finish with the captivating allure of glitter. The surface, enriched with gleaming grains, achieves a beautiful blend of elegance and earthy charm, infusing any space with a natural yet glamorous essence.







SIZE: 1200X1800MM | SURFACE: QUILL GLAM

15mm Thickness

ELECTRA BONE



FLOOR: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM
TABLE & WALL: 15 ELECTRA BONE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

QUILL GLAM
SERIES



FLOOR & WALL: **15 ELECTRA BONE 180 QUILL GLAM** | SIZE: **1200X1800MM** | SURFACE: **QUILL GLAM**
TABLE & FURNITURE: **15 ELECTRA GRIGE 180 QUILL GLAM** | SIZE: **1200X1800MM** | SURFACE: **QUILL GLAM**

15 ELECTRA BONE 180


SIZE	SURFACE	THICKNESS
1200x1800mm	QUILL GLAM	15mm

360 VIEW

V1


15 ELECTRA GRIGE 180

SIZE	SURFACE	THICKNESS
1200x1800mm	QUILL GLAM	15mm



360 VIEW


V1



SIZE: 1200X1800MM | SURFACE: QUILL GLAM

15mm Thickness

ELECTRA GRIGE




WALL & FLOOR: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM
TABLE: 15 ELECTRA BONE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

QUILL GLAM
SERIES



FLOOR & WALL: **15 ELECTRA GRIGE 180 QUILL GLAM** | SIZE: **1200X1800MM** | SURFACE: **QUILL GLAM**
TABLE & FURNITURE: **15 ELECTRA BONE 180 QUILL GLAM** | SIZE: **1200X1800MM** | SURFACE: **QUILL GLAM**

COVERSTONE



15 MM
Thickness


1200x1800mm

FULL BODY

TECHNICAL PORCELAIN
SERIES

In a world where we constantly seek complexity and novelty, TECHNICAL PORCELAIN emerges as the result of an orderly and precise granular arrangement with multiple colour flakes. Its elegance, in its most basic form, reminds us of the inherent beauty found in the fundamental elements of our universe. It embodies the idea that even the most uncomplicated elements can hold astonishing depth, intrigue, and significance.







SIZE: 1200X1800MM | SURFACE: POLISHED

15mm Thickness

LEIA CREMA



FLOOR: 15 LEIA CREMA 180 | SIZE: 1200X1800MM | SURFACE: POLISHED
HIGHLIGHTER WALL & TABLE: 15 LEIA BERLY 180 | SIZE: 1200X1800MM | SURFACE: POLISHED

TECHNICAL PORCELAIN Series

FLOOR & WALL: **15 LEIA CREMA 180** | SIZE: **1200X1800MM** | SURFACE: **POLISHED**
HIGHLIGHTER WALL & TABLE: **15 LEIA BERLY 180** | SIZE: **1200X1800MM** | SURFACE: **POLISHED**

15 LEIA CREMA 180

SIZE	BODY	SURFACE	THICKNESS
1200x1800mm	FULL BODY	POLISHED	15mm



360 VIEW

V2

Available in same design
LEIA (POLISHED) - 800X2600MM



LEIA CREMA 26 — 15mm Thickness

15 LEIA BERLY 180

SIZE	BODY	SURFACE	THICKNESS
1200x1800mm	FULL BODY	POLISHED	15mm



360 VIEW

V2


Available in same design
LEIA (POLISHED) - 800X2600MM



LEIA BERLY 26 — 15mm Thickness

15 PEARL WHITE 180

SIZE	BODY	SURFACE	THICKNESS
1200x1800mm	FULL BODY	POLISHED	15mm



360 VIEW

V2

Available in same design
ALESSIA (POLISHED) - 800X2600MM
ALESSIA (MATT) - 800X2600MM
ALESSIA (POLISHED) - 800X2400MM

ALESSIA WHITE 26 — 15mm Thickness
ALESSIA WHITE 26 MATT

ALESSIA WHITE 24 — 15mm Thickness


PEARL WHITE



TABLE: **15 PEARL WHITE 180** | SIZE: **1200X1800MM** | SURFACE: **POLISHED**
KITCHEN COUNTERTOP: **15 PEARL WHITE 180** | SIZE: **1200X1800MM** | SURFACE: **POLISHED**

TECHNICAL PORCELAIN Series

COVERSTONE




15 MM
Thickness

1200x1800mm

LUX
LUXURY POLISH

LUX offers a stunning glossy finish that captivates the eye. The unparalleled clarity of this finish reveals and accentuates the intricate details in each design. Meticulously handpicked natural marble replicas ensure authenticity and exceptional quality, adding a touch of luxury to any space they embellish.





SIZE: 1200X1800MM | SURFACE: FULL POLISHED

15mm Thickness

LASA BIANCO



WALL & FLOOR: 15 LASA BIANCO 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

LUX



WALL & FLOOR: **15 LASA BIANCO 180** | SIZE: **1200X1800MM** | SURFACE: **FULL POLISHED**
HIGHLIGHTER TABLE: **15 ELECTRA GRIGE 180 QUILL GLAM** | SIZE: **1200X1800MM** | SURFACE: **QUILL GLAM**

15 LASA BIANCO 180

SIZE	SURFACE	THICKNESS
1200x1800mm	FULL POLISHED	15mm

360 VIEW

V2

Available in same design
LUX (POLISHED) - 1200X1800MM



LASA BIANCO 180 9mm Thickness

15 VENATO BIANCO 180

SIZE	SURFACE	THICKNESS
1200x1800mm	FULL POLISHED	15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 800X2400MM



VENATO BIANCO 24 15mm Thickness



SIZE: 1200X1800MM | SURFACE: FULL POLISHED

15mm Thickness

VENATO BIANCO



WALL & FLOOR: 15 VENATO BIANCO 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER WALL: 15 PIETRA ROMA 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER BATHTUB: NECTAR GREY LUCIDO & NECTAR GREY OPACO | SIZE: 75X300MM | SURFACE: GLOSSY & MATT

LUX



WALL & FLOOR: **15 VENATO BIANCO 180** | SIZE: **1200X1800MM** | SURFACE: **FULL POLISHED**
HIGHLIGHTER WALL: **15 PIETRA ROMA 180** | SIZE: **1200X1800MM** | SURFACE: **FULL POLISHED**
HIGHLIGHTER BATHTUB: **NECTAR GREY LUCIDO & NECTAR GREY OPACO** | SIZE: **75X300MM** | SURFACE: **GLOSSY & MATT**

15 ALASKA NATURAL 180

SIZE	SURFACE	THICKNESS
1200x1800mm	FULL POLISHED	15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 800X2600MM
QUILLTOUCH (MATT) - 800X2600MM



ALASKA NATURAL 26 — 15mm Thickness
ALASKA NATURAL 26 QUILL

15 CARARA WHITE 180

SIZE	SURFACE	THICKNESS
1200x1800mm	FULL POLISHED	15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 800X2600MM
QUILLTOUCH (MATT) - 800X2600MM
SHAPETECH (ST. MATT) - 800X2600MM

CARARA WHITE 26 — 15mm Thickness
CARARA WHITE 26 QUILL

CARARA WHITE RIGA 26 SHAPE — 15mm Thickness



SIZE: 1200X1800MM | SURFACE: FULL POLISHED


15mm Thickness

ALASKA NATURAL



WALL & FLOOR: 15 ALASKA NATURAL 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

LUX



WALL & FLOOR: **15 ALASKA NATURAL 180** | **15 PIETRA ROMA 180** | SIZE: **1200X1800MM** | SURFACE: **FULL POLISHED**
HIGHLIGHTER TABLE: **15 ELECTRA GRIGE 180 QUILL GLAM** | SIZE: **1200X1800MM** | SURFACE: **QUILL GLAM**

15 STATUARIO EMINENCE 180

SIZE 1200x1800mm | SURFACE FULL POLISHED | THICKNESS 15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 1200X1800MM

STATUARIO EMINENCE 180 9mm Thickness

15 ESSENCE BEIGE 180

SIZE 1200x1800mm | SURFACE FULL POLISHED | THICKNESS 15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 1200X2400MM & 1200X1800MM
QUILLTOUCH (MATT) - 1200X2400MM & 1200X1800MM



ESSENCE BEIGE 240 9mm Thickness
ESSENCE BEIGE 240 QUILL



ESSENCE BEIGE 180 9mm
ESSENCE BEIGE 180 QUILL Thickness



SIZE: 1200X1800MM | SURFACE: FULL POLISHED


15mm Thickness

ESSENCE BEIGE



WALL & FLOOR: 15 ESSENCE BEIGE 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE TOP: 15 VENATO BIANCO 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED

LUX



WALL & FLOOR: **15 ESSENCE BEIGE 180** | SIZE: **1200X1800MM** | SURFACE: **FULL POLISHED**
HIGHLIGHTER TABLE & WALL: **15 LEIA CREMA 180** | SIZE: **1200X1800MM** | SURFACE: **POLISHED**
HIGHLIGHTER TABLE: **NECTAR BEIGE LUCIDO & NECTAR BEIGE OPACO** | SIZE: **75X300MM** | SURFACE: **GLOSSY & MATT**

15 BURBURRY CREMA 180

SIZE 1200x1800mm | SURFACE FULL POLISHED | THICKNESS 15mm

360 VIEW

V3

Available in same design
LUX (POLISHED) - 1200X2400MM & 1200X1800MM
QUILLTOUCH (MATT) - 1200X2400MM & 1200X1800MM

BURBURRY CREMA 240 9mm Thickness
BURBURRY CREMA 240 QUILL

BURBURRY CREMA 180 9mm Thickness
BURBURRY CREMA 180 QUILL

15 PIETRA ROMA 180

SIZE 1200x1800mm | SURFACE FULL POLISHED | THICKNESS 15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 1200X2400MM
LUX (POLISHED) - 1200X1800MM
QUILLTOUCH (MATT) - 1200X1800MM



PIETRA ROMA 240 9mm Thickness



PIETRA ROMA 180 9mm Thickness
PIETRA ROMA 180 QUILL



SIZE: 1200X1800MM | SURFACE: FULL POLISHED


15mm Thickness

PIETRA ROMA



WALL & FLOOR: 15 PIETRA ROMA 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER WALL: 15 LEIA BERLY 180 | SIZE: 1200X1800MM | SURFACE: POLISHED

LUX



FLOOR & WALL: **15 PIETRA ROMA 180** | SIZE: **1200X1800MM** | SURFACE: **FULL POLISHED**
HIGHLIGHTER WALL & FLOOR: **15 LEIA BERLY 180** | SIZE: **1200X1800MM** | SURFACE: **POLISHED**

15 BRECCIA SARDA 180

SIZE	SURFACE	THICKNESS
1200x1800mm	FULL POLISHED	15mm



360 VIEW

V4

Available in same design
LUX (POLISHED) - 800X2600MM
SHAPETECH (ST. MATT) - 800X2600MM



BRECCIA SARDA 26 — 15mm Thickness
BRECCIA SARDA 26 SHAPE

BRECCIA SARDA




WALL & FLOOR: **15 BRECCIA SARDA 180** | SIZE: **1200X1800MM** | SURFACE: **FULL POLISHED**
HIGHLIGHTER TABLE: **15 LEIA BERLY 180** | SIZE: **1200X1800MM** | SURFACE: **POLISHED**

LUX

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follow:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

PACKAGING DETAIL FOR COVERSTONE 1200X1800MM				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of Slab per carton	Coverage area per carton
1200x1800mm	15.00	74.00	1	2.16sq.mtr./23.25sq.ft.

TECHNICAL SPECIFICATION FOR COVERSTONE 1200X1800MM				
Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a	Requirement as per ISO 13006 ≤ 0.5% Group B I a	Our Values	Test Method
Dimension & Surface Quality				
Length & Width	± 0.10%	± 0.5%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
Thickness	± 5.00%	± 5.00%	**± 3.0%**	
Straightness of Side	± 0.10%	± 0.50%	± 0.10%	
Rectengularity	± 0.10%	± 0.60%	± 0.10%	
Surface Flatness				
Center Curvature (%) (Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %	
Edge Curvature (%) (Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %	
Corner Warpage (%)(Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %	
Surface Quality	Min. 95% of Surface will be free from Visible Defects	Min. 95% of Surface will be free from Visible Defects	Min. 95% of Surface will be free from Visible Defects	
Physical Properties				
Water Absorption	Average ≤ 0.08%, Individual Max. 0.1%	Av ≤ 0.5 %, Individual 0.6% max	< 0.08% Individual Max. 0.1%	IS 13630 Part 2/ ISO 10545-3
Modulus of Rupture [N/mm²]	Avr 35, Individual 32 min	Avr 35, Individual 32 min	Avr > 35, Individual 32 min	IS 13630 Part 6/ISO 10545-4
Breaking Strength in N	1300	Min 1300	> 8000 N	
Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
Scratch Hardness of Surface (Mohs)	Min 5	N.A	Min 5	IS 13630 Part 13
Coefficient of Linear Thermal Expansion from ambient Temperature to 100° C	6 X 10⁻⁶ K⁻¹ Max	Test Method Available	Max 6 X 10 ⁻⁶ K⁻¹ Max	IS 13630 Part 4/ ISO 10545-8
Thermal Shock Resistance	10 Cycle Min	Required	10 Cycle Passed	IS 13630 Part 5/ISO-10545-9
Crazing Resistance	4 Cycle @ 7.5 bar Min	N.A	4 cycle passed (For Glazed Tiles Only)	IS 13630 Part 9/ISO 10545-11
Impact Resistance as Co-efficient of Restitution (COR)	0.55 Min	Test Method Available	0.55 Min	IS 13630 Part 14/ISO 10545-5
Resistance to Abrasion of Glazed Tiles (Class I-V)	Min II	Abrasion Class & Cycle passed	Class-IV (For Glazed Tiles Only)	IS 13630 Part 11/ISO 10545-7
Deep Abrasion Resistance [in mm³]	140,Max	Max.175	Max.140 (For Un-Glazed Tiles Only)	IS 13630 PART 12/ISO 10454-6
Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
Stain & Chemical Resistance (Un-Glazed Tiles)				
Stain Resistance	Min Class 2	Manufacturer to State The Class	Class 4	IS 13630 Part 7/ISO 10545-14
Resistance to Household chemicals	Min Class AA	Min Class UB	Class UA	IS 13630 Part 7/ISO 10545-13
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if Agreed	Test Method Available	Class ULA (Low Conc) Class UHA (High Conc)	
Stain & Chemical Resistance (Glazed Tiles)				
Stain Resistance	Min Class 1	Min Class 3	Min Class 2	IS 13630 Part 7/ISO 10545-14
Resistance to Household chemicals	Min Class AA	Min B	Min Class AA	IS 13630 Part 7/ISO 10545-13
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if Agreed	Declared Value	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Gita Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com