

VOL 1 | TILE ADHESIVES & GROUTS

SOMANY DURABUILD

BUILDING SOLUTIONS

TILE ADHESIVE | PU ADHESIVE
TILE GROUT | EPOXY GROUT
ADMIX | TILE CLEANER

ABOUT US

Somany Ceramics Limited is a global leader in tiles and ceramics, celebrated for its innovative designs and quality. It is amongst the world's largest and fastest-growing tile brands, exporting to over 80 countries across 6 continents with a manufacturing capacity of 75 lac square meter. In India, Somany stands at the forefront of the ceramic industry, offering an extensive range of Ceramic Wall and Floor Tiles, Polished and Glazed Vitrified Tiles, Sanitaryware, Bath Fittings and Adhesives and Grouts.

Strengthening its legacy of innovation, Somany has strategically entered the building solutions segment through the acquisition of a majority stake in Dura Build - a pioneering brand in the industry, founded in 1998 by the late Dr. Dhananjoy Ghanti, India's first recognised construction chemical chemist. Dura Build brings together leading brands such as Ambigard, Fixocrete, and Capiseal offering a portfolio of over 250 specialised solutions that address complex construction challenges with exceptional value and performance.

PRODUCT RANGE


PROTECTIVE COATING


CONCRETE REPAIRS


INDUSTRIAL FLOORING


CONCRETE ADMIXTURES


GROUTS & ANCHORS


SEALANTS


ADHESIVES


WATERPROOFING

D804

TYPE 1 TILE ADHESIVE | EN12004: C1T

Grey, polymer-modified cementitious tile adhesive for fixing floor and wall tiles in interiors

It provides excellent bonding for small-sized ceramic, clay, and porcelain tiles on cement-based substrates such as concrete, screed, and plaster, making it suitable for interior dry applications

*Available in white colour

20 kg bags	5 - 5.5 m²/20 kg bag at 3 mm bed thickness



D806

TYPE 2 TILE ADHESIVE | EN12004: C2T

Grey, polymer-modified cementitious tile adhesive for fixing floor and wall tiles in interior, as well as exterior floor tiles applications

It is designed for tiles with an apparent porosity of less than or equal to 3%, such as vitrified and fully vitrified tiles, glass mosaic tiles, natural stones, dense tiles, large-format tiles, and stone slabs. The product is ideal for challenging surfaces and environments, including wet and submerged areas. It is recommended for interior wall and floor installations as well as exterior floor applications

*Available in white colour

20 kg bags	5 - 5.5 m²/20 kg bag at 3 mm bed thickness



D808

TYPE 2 TILE ADHESIVE | EN12004: C2TE

Grey, polymer-modified cementitious tile adhesive with **extended open time,** suitable for fixing floor and wall tiles in interior as well as exterior floor tiles applications

It is suitable for installing all kinds of ceramic, semi-vitreous, vitrified tiles, and natural stone on various vertical and horizontal surfaces. The product performs exceptionally well in challenging areas, including wet and submerged conditions. It is recommended for interior wall and floor installations, as well as exterior floor applications

*Available in white colour

20 kg bags	5 - 5.5 m²/20 kg bag at 3 mm bed thickness



D809

TYPE 3 TILE ADHESIVE | EN12004: C2TES1

Grey, polymer-modified cementitious tile adhesive with high strength and extended open time for large-format tiles. Ideal for interior and exterior walls and floors, even in wet and heavy-duty applications

*Also available in white colour & S2 Grade

It is designed for installing large-format ceramic, semi-vitreous, vitrified tiles, and natural stone on a wide range of wall and floor substrates. The adhesive provides strong bonding performance, easy application, and superior resistance to water and impact, making it ideal for both dry and wet environments, including areas such as swimming pools and washrooms



20 kg bags	5 - 5.5 m²/20 kg bag at 3 mm bed thickness

D810

TYPE 4 TILE ADHESIVE | EN12004: C2TES1

Grey, polymer-modified cementitious tile adhesive with high bond strength and enhanced flexibility. Ideal for fixing large-format tiles and stones in outdoor areas and on movement-prone surfaces

*Also available in white colour & S2 Grade

It is ideal for installing large-format tiles and stones, particularly in outdoor environments and on substrates exposed to movement, vibration, or deformation. It can also be used for gypsum boards, fibre cement boards, and other stable, dry board substrates.



20 kg bags	5 - 5.5 m²/20 kg bag at 3 mm bed thickness

D880

CEMENTITIOUS TILE GROUT

Fast-setting, low-shrinkage polymer-modified, cement-based tile grout available in various shades

It is ideal for grouting floor and wall tiles in residential and industrial buildings, terraces, balconies, dairy and food processing plants, and swimming pools



1 kg Pouch	Refer the data sheet

D811

PU ADHESIVE

Two-component, polymer-based adhesive consisting of a polyurethane base (Component A) and a special hardener (Component B)

Ideal for indoor and outdoor applications including bonding of wall and floor tiles such as ceramic, vitrified tiles, natural stone, glass, metal tiles, reinforced polyester, PVC, wood, asphalt, and gypsum board

4 kg & 8 kg pails	Refer the data sheet



*for visual representation only

D888

EPOXY TILE GROUT

Epoxy resin-based ceramic tile joint filler available in various shades

Joint filler with high chemical resistance ideal for pharmaceutical facilities hospitals, laboratories, shopping malls, theatres & office spaces It is easy to clean with water and can be used in wet areas such as swimming pools & bathrooms

1 kg & 5 kg pails	Refer the data sheet



*for visual representation only

D830

TILE ADMIX L

Liquid admixture for tile adhesive designed to provide strong and highly flexible bonding for tiling on deformable substrates

Ideal for internal and external applications on floors and walls, including plywood, gypsum boards, fiber cement sheets, tile backer boards, swimming pools, ceramic and vitrified tiles, stones, and cladding surfaces

1 kg, 5 kg & 20 kg	34 - 40 ft² per application depending on the surface texture and porosity



*for visual representation only

SOMANY DURABUILD

D850

POLYMER GROUT ADDITIVE

White, synthetic polymer emulsion for use with cement based grouts

Improves flexibility, strength, and resistance to water and abrasion in cement-based tile grouts

100 ml bottles	100 ml mixed with 1 kg cementitious tile grout



*for visual representation only

D855

TILE CLEANER

Heavy-duty tile cleaning and degreasing liquid

Removal of stains under from bathroom floors, bathroom fittings, toilets, oily basins, garage floors & parking lots

500 ml, 1 ltr & 5 ltr bottles	Depends on porosity and contamination of substrate



*for visual representation only

NOTE

VOL 1 | TILE ADHESIVES & GROUTS

SOMANY

Dura Build Care Pvt. Ltd (A subsidiary of Somany Ceramics Ltd)
Unit I - Plot No. 2376-77, Part B, MIE, Bahadurgarh, Haryana - 124507
Unit II - Plot No. 333, Part A, MIE, Bahadurgarh, Haryana - 124507
Registered Office: 82/19, Bhakerwara Road, Mundka, New Delhi - 110041
Customer Care No.: +91 7838053191
Help line: 1800 103 0004 | Email: customer.care@somanyceramics.com