

UNIT 01 | A2PIRE | RANGE VOL 1 | SEPT 2025

DURAGRES

GLAZED VITRIFIED TILES

600 x 1200mm

SOMANY


INFINITE DESIGNS,
UNMATCHED BEAUTY

ASPIRE
COLLECTION

Experience the allure of timeless elegance with our Aspire Series GVT tiles collection, available in 600x1200mm size. Elevate your spaces with sophisticated designs and unparalleled quality, adding a touch of luxurious charm to every room. Effortlessly transform your interiors with the enduring beauty and durability of Aspire's exquisite GVT tiles.

APPLICATION AREAS


Living Room


Dining Room


Stairs


Restaurant



Patio


Terrace


Bathroom


Lavatory


Work Space


Shops


Kitchen


Bedroom


Kids Room


Hotels


Pool

A2PIRE
COLLECTION

ENDLESS FULL POLISH
FULL POLISH
MATT CARVING
COLLECTION

GLAZED VITRIFIED TILES

600 x 1200mm



VERSATILE SOLUTIONS | EASIER TO **LAY** | RESISTANT TO **CHEMICAL** | RESISTANT TO **LOADS** | RESISTANT TO **STAINS** | **WIDE** RANGE


ENDLESS
FULL POLISHED

ASPIRE KS GRANDE EL BEUREN BEIGE FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL BEUREN BEIGE LIGHT FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL BEUREN GREY FP





5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

ENDLESS
FULL POLISHED

ASPIRE

ASPIRE KS GRANDE EL BEUREN GREY LIGHT FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL CARRARA FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL ONYX ICE FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL ORO GREY FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL ORO NATURAL FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL TOMENTO GREY FP





5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

ENDLESS
FULL POLISHED

ASPIRE KS GRANDE EL VICTORIAN BROWN FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL VICTORIAN CREMA FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL VICTORIAN DARK GREY FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL VICTORIAN GREY FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE EL VOLCANO GREY FP





5 mm TILES SPACERS
RECOMMENDATION






FULL
POLISHED

ASPIRE KS GRANDE
ARMANI SILVER FP



5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
CARRARA WHITE FP

5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
DC SARA BIANCO FP



5 mm TILES SPACERS
RECOMMENDATION



ASPIRE KS GRANDE
DELMONTE SILVER FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
GLIZZ LIGHT GREY FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
INVATUS GREY FP





5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

FULL
POLISHED

ASPIRE KS GRANDE
JULIET BLUE FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
MIRROR CRISTELLO WHITE FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
POLAR WHITE FP





5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

FULL
POLISHED

ASPIRE KS GRANDE RIO WHITE FP





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
VINATO GREY FP





5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

FULL
POLISHED

ASPIRE

ASPIRE KS GRANDE
BEXLEY DARK GREY FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

FULL
POLISHED

ASPIRE

ASPIRE KS GRANDE
BEXLEY LIGHT GREY FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

FULL
POLISHED

ASPIRE

ASPIRE KS GRANDE
CORDELIA WHITE FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
EVERLEY GREY DARK FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
EVERLEY GREY LIGHT FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

FULL
POLISHED

ASPIRE

ASPIRE KS GRANDE
ELIORA DARK FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
ELIORA LIGHT FP

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION






MATT
CARVING

ASPIRE KS GRANDE
INTAGLIO ATLANTIC GOLD



5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

MATT
CARVING

ASPIRE

ASPIRE KS GRANDE
INTAGLIO DAYNORA WHITE





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE
INTAGLIO MIRABELLA BIANCO



5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE IMP
FIORELLA BROWN

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE IMP
FIORELLA CREMA

NEW ARRIVAL



5 mm TILES SPACERS
RECOMMENDATION





GLAZED
VITRIFIED TILES

600x
1200mm

MATT
CARVING

ASPIRE

ASPIRE KS GRANDE IMP
FIORELLA GREY DARK

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE IMP
FIORELLA GREY LIGHT

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE IMP
AVIANNA WHITE

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE IMP
EVERLEY GREY DARK

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





ASPIRE KS GRANDE IMP
EVERLEY GREY LIGHT

NEW ARRIVAL





5 mm TILES SPACERS
RECOMMENDATION





PACKING DETAILS FOR FOR 600x1200MM DURAGRES ASPIRE				
Nominal Size(mm)	Thickness (mm)	No of tiles/Box	Average Weight (Kg)	Coverage area per box (SQM)
600X1200MM DURAGRES ASPIRE	8.2	2.0	25.8	1.44 Square Meter

TECHNICAL SPECIFICATION FOR 600x1200MM DURAGRES ASPIRE				
Characteristics	**Requirement as per IS 15622 :2017 E≤ 0.08 Group B I a**	**Requirement as per ISO 13006:2018 E_v≤ 0.5%-Group B I a (Annex G)**	**Our Values**	**Test Method**
A. Dimension & Surface Quality				
i. Length & Width	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
ii. Thickness	± 5.00%	± 5.0%	± 4.0%	
iii. Straightness of Side	± 0.10%	± 0.30%	± 0.10%	
iv. Rectengularity	± 0.10%	± 0.30%	± 0.10%	
v. Surface Flatness				
a. Center curvature (%) (max. Deviation)	± 0.50%	± 0.40%	± 0.2 %	
b. Edge curvature (%) (max. Deviation)	± 0.50%	± 0.40%	± 0.2 %	
c. Corner warpage (%)(max. Deviation)	± 0.50%	± 0.40%	± 0.2 %	
vi. Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B. Physical Properties				
i. Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Av 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii. Modulus of Rupture [N/mm²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg-38,	IS 13630 Part 6/ISO 10545-4
iii. Breaking Strength in N	1300	1300	≥1300 N	
iv. Moisture Expansion in mm/m	0.02	Test method available	Max 0.02	IS 13630 Part 3/ISO-10545-10
v. Scratch Hardness of surface (Mohs)	Min 5	N.A	4-6 (depends on surface)	IS 13630 Part 13
vi. Resistance to Abrasion of glazed tiles (Class I to V)	Min II	Report abrasion class and cycles passed	Class V (for VC), Class IV (for Non VC), Class III (For polished)	IS 13630 Part 11 /ISO 10545-7
vii. Coefficient of linear thermal expansion from embiant temperature to 100°C	6 X 10^{-6} K^{-1} max	Test method available	Max 5 X 10^{-6} K^{-1}	IS 13630 Part 4/ ISO 10545-8
viii. Thermal Shock Resistance	10 cycle min	Test method available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix. Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x. Imapct Resistance as Co-efficient of Restitution (COR)	0.55 min	Test method available	0.75-0.90	IS 13630 part 14/ISO 10545-5
xi. Bulk Density (gm/cc)	2.2	N.A	2.3	IS 13630 Part 2
xii. Coefficient of Friction	Where required manufacturer to declare value	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii. Frost Resistance	Required,	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C. Chemical Resistance (glazed Tiles)				
i. Stain Resistance	Min Class 1	Min Class 3	Min Class-1/ Class-3	IS 13630 Part 8 &ISO 10545-14
ii. Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii. Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed.
Complaints will not be entertained for Borders, Highlighters & Motifs.

Note: ** GVT tiles have resistance to most of the stains and chemicals, but it is recommended to take care during laying and everyday maintenance.

NOTE

NOTE

TILE VISUALISER

SOMANY



2D

DESIGN STUDIO

360°

PANORAMIC STUDIO

YOUR SPACE STUDIO

For detailed instructions scan the QR code

Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany EZY Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany EZY Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at **www.somanyceramics.com** or call on **Toll Free: 1800 103 0004**

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome

Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit







Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com

RANGE VOL 1 | SEPT 2025 A2PIRE UNIT 01

SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad **Office**: 601 - 606, 6th Floor, Aals Euphoria, Opp. Adani CNG Pump,
B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customercare@somanyceramics.com

Toll Free No.: 1800-1030-004 (Timing: 10:00 AM - 6:30 pm; Mon - Fri)