

UNIT 04

RANGE VOL 1 | AUG 2026

DURAGRES

ASPIRE
collection

600 x 1200mm

SOMANY

SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

UNIT 04

RANGE VOL 1 | AUG 2026

A2PIRE

COLLECTION

Step into a world where surfaces transcend their elemental nature and captivate every gaze, the Duragres Aspire collection is engineered for spaces that refuse to be ordinary.

Available in 600x1200mm, Aspire offers four distinct finishes, each with its own spatial identity. Lucido (High Gloss) mesmerizes with intense luminosity, a mirror-like depth that draws the eye toward infinite reflection. Full Polished delivers seamless visual continuity, where flowing veins and luminous sheen create an expansive sense of grandeur. Matt lends a clean, understated calm to contemporary interiors. Impression evokes the timeless warmth of natural stone through a glazed surface that brings depth, organic veining, and an earthy richness to every space.

Designed for the spaces that define how the world perceives you, Aspire transitions effortlessly from living rooms and lounges to retail showrooms, hotels, hospitals, and shopping malls, elevating every environment it graces.



TECHNICAL FEATURES



HIGH GLOSS SURFACE

Our strong high-gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambience with Gloss Unit(GU): 95-100



ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI-IV (For Matt) & III (For Polished) ensures durability and maintains their pristine appearance for years.



EASY TO CLEAN

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.



SUPERIOR MATT SURFACE

Our Matt finish surfaces feature a subtle, refined (low-reflection) finish that softens light and minimises glare. This makes them ideal for a variety of settings.

WATER REPELLENT

NON-REFLECTIVE

THERMAL RESISTANT

FROST RESISTANT

CHEMICAL RESISTANT

ABRASION AND WEAR RESISTANT

TEMPERATURE RESISTANT

HYGIENIC SURFACE

LOAD AND STRESS RESISTANT

APPLICATION AREAS

RESIDENTIAL AREAS

COMMERCIAL AREAS

HOSPITALS

PUBLIC PLACES

SHOPS AND MALLS

HOTELS AND RESTAURANTS

SCHOOLS AND COLLEGES

OUTDOOR FURNITURE

INDEX

HIGH GLOSS

ASPIRE LUCIDO ALLEGRA TEAL	08
ASPIRE LUCIDO EMPERADOR BROWN	08
ASPIRE LUCIDO FOSSIL BLACK	08
ASPIRE LUCIDO LEVANTO TEAL	09
ASPIRE LUCIDO MYSTIQUE NERO	09
ASPIRE LUCIDO PULPIS BRONZE	09
ASPIRE FLOS DARK GREY FP	21
ASPIRE IRISH BROWN FP	24
ASPIRE MYSTIQUE WHITE FP	24
ASPIRE NATIVA PINK FP	24
ASPIRE VEGAS GOLD FP	25
ASPIRE STATUARIO SELECT FP	25

FULL POLISHED ENDLESS

ASPIRE EL DIVINITY ASH FP	10
ASPIRE EL GRAO MULTI FP	10
ASPIRE EL LEGACY STATUARIO FP	10
ASPIRE EL LASA BEIGE FP	12
ASPIRE EL ORO BELLOW FP	12
ASPIRE EL ROMERO CREMA FP	12
ASPIRE EL SOLARIS CREMA FP	13
ASPIRE EL VYOMA BIANCO FP	13

FULL POLISHED

ASPIRE ERICA AQUA GOLD FP	16
ASPIRE FLOREALE LIGHT BLUE FP	16
ASPIRE FLOREALE DARK BLUE FP	16
ASPIRE FLOREALE BEIGE FP	17
ASPIRE FLOREALE BEIGE DÉCOR FP	17
ASPIRE FLOREALE BROWN FP	17
ASPIRE TENDER LIGHT GREY FP	18
ASPIRE TENDER GREY DÉCOR FP	18
ASPIRE TENDER DARK GREY FP	18
ASPIRE CAMUS LIGHT GREY FP	20
ASPIRE CAMUS DARK GREY FP	20
ASPIRE RADDIX WHITE FP	20
ASPIRE FLOS OYSTER FP	21
ASPIRE FLOS LIGHT GREY FP	21

MATT

ASPIRE FLOREALE BROWN	26
ASPIRE FLOREALE DARK BLUE	26
ASPIRE TENDER DARK GREY	25

IMPRESSION

ASPIRE IMP ASTOR MUSHROOM	30
ASPIRE IMP CORAS STATUARIO	30
ASPIRE IMP CINERA CARARA	30
ASPIRE IMP IRISH CREMA	31
ASPIRE IMP SOLITARY BEIGE	31
ASPIRE IMP IMARMI ONYX	31

FLOOR: ASPIRE LUCIDO ALLEGRA TEAL
SURFACE: HIGH GLOSS






FLOOR: ASPIRE LUCIDO ALLEGRA TEAL
SURFACE: HIGH GLOSS


ASPIRE LUCIDO ALLEGRA TEAL





V4

ASPIRE LUCIDO EMPERADOR BROWN





V4

ASPIRE LUCIDO FOSSIL BLACK






V4

ASPIRE LUCIDO LEVANTO TEAL





V4

ASPIRE LUCIDO MYSTIQUE NERO





V4

ASPIRE LUCIDO PULPIS BRONZE





V4

600X1200MM
FULL POLISHED ENDLESS

GLAZED
VITRIFIED TILES

ASPIRE EL DIVINITY ASH FP



V3

ASPIRE EL GRAO MULTI FP



V3

ASPIRE EL LEGACY STATUARIO FP



V2





FLOOR: ASPIRE EL LEGACY STATUARIO FP
SURFACE: FULL POLISHED ENDLESS

ASPIRE EL LASA BEIGE FP

V4

ASPIRE EL ORO BELLOW FP



V2



ASPIRE EL ROMERO CREMA FP

V3

ASPIRE EL SOLARIS CREMA FP

V3


ASPIRE EL VYOMA BIANCO FP



V3

WALL: ASPIRE FLOREALE BEIGE FP | ASPIRE FLOREALE BEIGE DECOR FP
FLOOR: ASPIRE FLOREALE BROWN FP
SURFACE: FULL POLISHED






WALL : ASPIRE FLOREALE BEIGE FP | ASPIRE FLOREALE BEIGE DECOR FP
FLOOR: ASPIRE FLOREALE BROWN FP
SURFACE: FULL POLISHED

ASPIRE ERICA AQUA GOLD FP




V2



ASPIRE FLOREALE LIGHT BLUE FP



V3



ASPIRE FLOREALE DARK BLUE FP



V3



ASPIRE FLOREALE BEIGE FP

V3

ASPIRE FLOREALE BEIGE DECOR FP



V1



ASPIRE FLOREALE BROWN FP




V3



600X1200MM
FULL POLISHED

GLAZED
VITRIFIED TILES

ASPIRE TENDER LIGHT GREY FP



V3

ASPIRE TENDER GREY DECOR FP






V1

ASPIRE TENDER DARK GREY FP





V3



WALL: ASPIRE TENDER DARK GREY FP | ASPIRE TENDER GREY DECOR FP
FLOOR: ASPIRE TENDER LIGHT GREY FP
SURFACE: FULL POLISHED

ASPIRE CAMUS LIGHT GREY FP






V3

ASPIRE CAMUS DARK GREY FP





V3

ASPIRE RADDIX WHITE FP





V3

ASPIRE FLOS OYSTER FP

V3

ASPIRE FLOS LIGHT GREY FP





V3

ASPIRE FLOS DARK GREY FP





V3

WALL: ASPIRE IRISH BROWN FP
FLOOR: ASPIRE IRISH BROWN FP
SURFACE: FULL POLISHED





WALL : ASPIRE IRISH BROWN FP
FLOOR: ASPIRE IRISH BROWN FP
SURFACE: FULL POLISHED


ASPIRE IRISH BROWN FP





V2

ASPIRE MYSTIQUE WHITE FP



V4

ASPIRE NATIVA PINK FP





V4

ASPIRE VEGAS GOLD FP






V3

ASPIRE STATUARIO SELECT FP





V4

600X1200MM
MATT

GLAZED
VITRIFIED TILES

ASPIRE FLOREALE BROWN



V3



ASPIRE FLOREALE DARK BLUE



V3



ASPIRE TENDER DARK GREY



V3





WALL: ASPIRE FLOREALE BROWN
SURFACE: MATT

WALL: ASPIRE IMP CORAS STATUARIO
FLOOR: ASPIRE IMP IRISH CREMA
SURFACE: IMPRESSION





WALL: ASPIRE IMP CORAS STATUARIO
FLOOR: ASPIRE IMP IRISH CREMA
SURFACE: IMPRESSION

ASPIRE IMP ASTORE MUSHROOM





V3

ASPIRE IMP CORAS STATUARIO





V4

ASPIRE IMP CINEREA CARARA





V4

ASPIRE IMP IRISH CREMA

V2

ASPIRE IMP SOLITARY BEIGE





V4


ASPIRE IMP IMARMI ONYX

V4

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR ASPIRE COLLECTION				
Nominal Size (mm)	**Thickness (mm)**	**Avg. Wt. Per Carton (Kgs.)**	**No. of Tiles Per Carton**	**Coverage Area Per Carton**
600x1200mm	8mm	24.50	2	1.44sq.mtr./15.50sq.ft.

TECHNICAL SPECIFICATION FOR ASPIRE COLLECTION				
Characteristics	**Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a**	**Requirement as per ISO 13006:2018 Ev≤ 0.5% Group B I a (Annex G)**	**Our Values**	**Test Method**
A) Dimension & Surface Quality	Rectified			
i) Length & Width	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1 / ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.10%	± 0.30%	± 0.10%	
iv) Rectangularity	± 0.10%	± 0.30%	± 0.10%	
v) Surface Flatness				
a) Center Curvature (Max. Deviation)	± 0.5%	± 0.4%	**± 0.02%**	
b) Edge Curvature (Max. Deviation)	± 0.5%	± 0.4%	**± 0.02%**	
c) Corner Warpage (Max. Deviation)	± 0.5%	± 0.4%	**± 0.02%**	
vi) Surface Quality	Min. 95 % of Tiles will be free from Visible Defects	Min. 95 % of Tiles will be free from Visible Defects	Min. 95 % of Tiles will be free from Visible Defects	
B) Physical Properties				
i) Water Absorption	Avg. 0.8<E, Individual Max 0.1%	E≤ 0.5, Individual Max 0.6%	Avg. 0.08 %	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture [N/mm²]	Avg. 35, Individual 32 Min	Avg. 35, Individual 32 Min	Avg. - 38	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min. 1400	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02 Max	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Moha)	Min 6	N/A	4-6 (Depends on Surface)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Report Abrasion Class and Cycles Passed	Class IV (For Matt), Class III (For Polished)	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100° C	6 X 10 ⁻⁶ K⁻¹ Max	Test Method Available	Max 5.5 X 10⁻⁶ K⁻¹	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 Cycle @ 7.5 Bar Min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Test Method Available	0.75-0.90	IS 13630 part 14 / ISO 10545-5
xi) Bulk Density (gm/cc)	2.2	N/A	2.25	IS 13630 Part 2
xii) Coefficient of Friction	Where Required Manufacturer to Declare Value	Where Required Manufacturer to Declare Value	Depends upon Glazed Surface	ISO 10545-17
xiii) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min Class 3	Min Class 1 / Class 3	IS 13630 Part 8 & ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (with Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Manufacturer is to State Classification	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces — walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome

Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used : Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com