RANGE VOL 2 | MAY 2026

UNIT 04

SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh, Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

DURAGRES / BLOOM COLLECTION / CATALOGUE / MAY 2026

DURAGRES

BLOOM
collection

600 x 1200mm

SOMANY

NEW ARRIVAL
—
MAY 2026

UNIT 04



DURAGRES
BLOOM COLLECTION

Nature's fleeting splendour, immortalised in perfection. The Duragres Bloom collection showcases resplendent floral compositions, verdant leafy patterns, and intricate botanical motifs rendered with meticulous detail across sophisticated tile surfaces. Available in 600x1200mm format, the series offers three exquisite surface finishes to enrich every space. Full Polished unveils profound depth, crystalline clarity, and luminous brilliance with mirror-like radiance. Impression presents a textured finish that introduces tactile depth and vivid botanical expression, and Matt embodies serene tranquillity with its velvety, non-reflective surface.

Crafted using Digital Printing Technology, it revives perennial beauty with extraordinary surface definition, sublime colour fidelity, and remarkable resilience. Transform walls into blooming canvases, from bathrooms to kitchens and striking wall cladding, in hospitality spaces, retail environments, and residences where design transcends convention.



Size:
600x1200mm

Surface:
FULL POLISHED



GRANDE VALOR
BOTANICO DECOR FP



GRANDE VALOR
FLORALE DECOR FP



GRANDE VALOR
FOGLIARE DECOR FP



GRANDE VALOR
TORCELLO ONYX DECOR FP



GRANDE VALOR
BOTANICO MINT FP



GRANDE VALOR
FLORALE GREY FP



GRANDE VALOR
FOGLIARE GREY FP



GRANDE VALOR
TORCELLO ONYX MINT FP

3
Surfaces

1
Size

21
Designs

Size:
600x1200mm

Surface:
IMPRESSION



GRANDE IMP
PALERMO GREY DECOR



GRANDE IMP
FLORISTIC DECOR



GRANDE IMP
PRESTON GREY DECOR



GRANDE IMP
HENDRIX CREMA DECOR



GRANDE IMP
TEXTUS BIANCO DECOR



GRANDE IMP
TEXTUS BIANCO



GRANDE IMP
TEXTUS AQUA

Size:
600x1200mm

Surface:
MATT



GRANDE VALOR
PALERMO GREY



GRANDE VALOR
FLORISTIC BEIGE

GRANDE VALOR
PRESTON GREY LIGHT



GRANDE VALOR
PRESTON GREY DARK

GRANDE VALOR
HENDRIX CREMA



GRANDE VALOR
HENDRIX BROWN



Technical Features

- Water Repellent
- Chemical Resistant
- Non-Reflective
- Easy To Clean
- Abrasion And Wear-Resistant
- Hygienic Surface
- Thermal Resistant
- Frost Resistant
- Load And Stress-Resistant
- Temperature Resistant

Application Areas

- Residential Areas
- Commercial Areas
- Hospitals
- Shops And Malls
- Hotels And Restaurants
- Schools And Colleges
- Outdoor Furniture
- Public Places







Wall: GRANDE VALOR BOTANICO DECOR FP
Size: 600x1200mm
Surface: Full Polished

Wall & Floor: GRANDE VALOR BOTANICO MINT FP
Size: 600x1200mm
Surface: Full Polished

GRANDE VALOR BOTANICO DECOR FP



Size : 600x1200mm
Surface : FULL POLISHED
V2



GRANDE VALOR BOTANICO MINT FP



Size : 600x1200mm
Surface : FULL POLISHED
V1



GRANDE VALOR FLORALE DECOR FP



Size : 600x1200mm
Surface : FULL POLISHED
V3



GRANDE VALOR FLORALE GREY FP



Size : 600x1200mm
Surface : FULL POLISHED
V4



GRANDE VALOR FOGLIARE DECOR FP



Size : 600x1200mm
Surface : FULL POLISHED
V4



GRANDE VALOR FOGLIARE GREY FP



Size : 600x1200mm
Surface : FULL POLISHED
V4



GRANDE VALOR TORCELLO ONYX DECOR FP



Size : 600x1200mm
Surface : FULL POLISHED
V3



GRANDE VALOR TORCELLO ONYX MINT FP



Size : 600x1200mm
Surface : FULL POLISHED
V3









Wall: GRANDE IMP FLORISTIC DECOR
Size: 600x1200mm
Surface: Impression

Wall & Floor: GRANDE VALOR FLORISTIC BEIGE
Size: 600x1200mm
Surface: Matt

STELLA BRICK RED
Size: 800x2400mm
Surface: Full Polished

GRANDE IMP PALERMO GREY DECOR



Size : 600x1200mm
Surface : IMPRESSION



GRANDE VALOR PALERMO GREY



Size : 600x1200mm
Surface : MATT



GRANDE IMP FLORISTIC DECOR



Size : 600x1200mm
Surface : IMPRESSION



GRANDE VALOR FLORISTIC BEIGE



Size : 600x1200mm
Surface : MATT



GRANDE VALOR PRESTON GREY LIGHT

Size : **600x1200mm**
Surface : **MATT**
V1

GRANDE VALOR PRESTON GREY DARK



Size : **600x1200mm**
Surface : **MATT**
V1



GRANDE IMP PRESTON GREY DECOR





Size : **600x1200mm**
Surface : **IMPRESSION**
V2



ZOOM VIEW







Wall: GRANDE IMP HENDRIX CREMA DECOR
Size: 600x1200mm
Surface: Impression

Wall: GRANDE VALOR HENDRIX CREMA
Size: 600x1200mm
Surface: Matt

Floor: GRANDE VALOR HENDRIX BROWN
Size: 600x1200mm
Surface: Matt

NEBULA CREMA
Size: 800x2400mm
Surface: Full Polished

GRANDE VALOR HENDRIX CREMA

Size : **600x1200mm**
Surface : **MATT**

GRANDE VALOR HENDRIX BROWN



Size : **600x1200mm**
Surface : **MATT**



GRANDE IMP HENDRIX CREMA DECOR





Size : **600x1200mm**
Surface : **IMPRESSION**



ZOOM VIEW

GRANDE IMP TEXTUS BIANCO



Size : **600x1200mm**
Surface : **IMPRESSION**
V3



GRANDE IMP TEXTUS AQUA



Size : **600x1200mm**
Surface : **IMPRESSION**
V1



GRANDE IMP TEXTUS BIANCO DECOR





Size : **600x1200mm**
Surface : **IMPRESSION**
V2



ZOOM VIEW

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR BLOOM COLLECTION				
Nominal Size (mm)	Thickness (mm)	Avg. Wt. Per Carton (Kg.)	No. of Tiles Per Carton	Coverage Area Per Carton
600x1200mm	8.8 ±0.2mm	27.7 ± 0.5 kg	2	1.44 Sq. mtr / 15.50 Sq. ft.

TECHNICAL SPECIFICATION FOR BLOOM COLLECTION				
Characteristics	Requirement as per IS 15622:2017 <E±0.08 Group BIa	Requirement as per ISO 13006 ± 0.5% Group BIa	Our Value	Test Method
(A) Dimension & Surface Quality				IS 13630 Part 1 / ISO 10545-2
i) Length & Width	±0.1%	± 0.3%	±0.1%	
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.1%	± 0.3%	± 0.1%	
iv) Rectangularity	±0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center Curvature (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
b) Edge Curvature (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
c) Corner Warpage (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Avg. E ≤ 0.08% , Individual 0.1 Max	Avg. ≤ 0.5% , Individual 0.6% Max	Avg. E ≤ 0.08%	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture (N/mm2)	Avg. 35 , Individual 32 Min	Avg. 35 , Individual 32 Min	Avg. 35 , Individual 32 Min	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min 1300	Min 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 5	NA	Min. 3 (For Polished) Min. 5 (For Matt)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle Passed	Class III (For Polished) Class IV (For Matt)	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°C	6X 10^{-6}/K^{-1} Max	Test Method Available	6X 10^{-6} K^{-1} Max	IS 13630 Part 4 / ISO 10545-8
Viii) Thermal Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 Cycle @ 7.5bar Min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO-10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min. Class 3	Min. Class 2 (For Polished) Min Class 1 (For Matt)	IS 13630 Part 8 / ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min. Class GB	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Declared Value	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code.

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Soza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com