DURAGRES

EVERSTONE
collection

600 x 1200mm

SOMANY

NEW ARRIVAL
—
JAN 2026

UNIT 06



RANGE VOL 1 | JAN 2026

UNIT 06

SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh, Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com


Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

The Power of Stone, the Grace of Artistry

The Everstone collection is a testament to the artistry of natural stone replication, meticulously crafted to evoke the raw, organic beauty of quarried rock. Its precision-engineered surface seamlessly blends the intricate textures and tonal variations of genuine stone, enriched by a delicately textured matt finish with a subtle sheen that enhances depth and dimension.

Developed for exceptional durability, Everstone is composed of high-density ceramic, ensuring superior resistance to scratches, stains, and moisture absorption. This makes it an ideal choice for high-traffic commercial and residential spaces, where longevity and aesthetic integrity are paramount.

Its low porosity and advanced surface treatment create a protective barrier against dirt accumulation, making it remarkably easy to clean and maintain. Additionally, its enhanced slip resistance makes it well-suited for outdoor installations, wet areas, and high-humidity environments, providing both safety and style.



Size: **600x1200mm** | Surface: **Robusto** | Thickness: **9mm**



GRANDE ROBUSTO RUENA COCOA | GRANDE ROBUSTO RUENA DOVE | GRANDE ROBUSTO RUENA FAWN | GRANDE ROBUSTO RUENA GREY | GRANDE ROBUSTO RUENA SILVER



GRANDE ROBUSTO RUENA COCOA REVA | GRANDE ROBUSTO RUENA DOVE REVA | GRANDE ROBUSTO RUENA FAWN REVA | GRANDE ROBUSTO RUENA GREY REVA | GRANDE ROBUSTO RUENA SILVER REVA

POWERED BY

Robusto
surface

Engineered to withstand temperature fluctuations, UV exposure, and heavy footfall, the Everstone collection is a versatile solution for indoor flooring, outdoor patios, pool decks, and facades, delivering an enduring blend of natural allure and cutting-edge performance.

1	1	1	5
Design	Surface	Punch	Shades





MOH'S SCALE HARDNESS > 5

High density sintering for a robust surface which is a crucial factor to consider when choosing tiles, especially for high-traffic & high-stress areas.



ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance ensures durability and maintains their pristine appearance for years.



SLIP RESISTANT R 9

R 9 slip resistant tiles are a great choice for areas that may get wet. They offer a good balance of slip resistance and aesthetics, making them suitable for both residential and commercial settings.

TECHNICAL FEATURES

- Water Repellent
- Blended Smoothness
- Non-Reflective
- Easy to Clean
- Load and Stress-Resistant
- Chemical Resistant
- Abrasion and Wear-Resistant
- Hygienic Surface
- Thermal Resistant
- Frost Resistant
- Temperature Resistant

APPLICATION AREAS

- Residential Areas
- Commercial Areas
- Hospitals
- Shops and Malls
- Hotels and Restaurants
- Schools and Colleges
- Outdoor Furniture
- Public Places

EVERSTONE
collection


GRANDE ROBUSTO
RUENA COCOA REVA

GRANDE ROBUSTO
RUENA DOVE REVA

GRANDE ROBUSTO
RUENA FAWN REVA

GRANDE ROBUSTO
RUENA GREY REVA

GRANDE ROBUSTO
RUENA SILVER REVA




Size: **600x1200mm** | Surface: **Robusto** | Thickness: **9mm**

Wall: GRANDE ROBUSTO RUENA COCOA REVA
Floor: GRANDE ROBUSTO RUENA COCOA

Size: 600x1200mm
Surface: Robusto







GRANDE ROBUSTO RUENA COCOA





V2

GRANDE ROBUSTO RUENA COCOA REVA



V2

Size: **600x1200mm**

Surface: **Robusto**

360° View

Actual Size Image




Wall: GRANDE ROBUSTO RUENA DOVE REVA
Floor: GRANDE ROBUSTO RUENA DOVE

Size: 600x1200mm
Surface: Robusto








GRANDE ROBUSTO RUENA DOVE

V2

GRANDE ROBUSTO RUENA DOVE REVA



V2

Size: **600x1200mm**

Surface: **Robusto**

360° View

Actual Size Image

Wall: GRANDE ROBUSTO RUENA FAWN REVA
Floor: GRANDE ROBUSTO RUENA FAWN

Size: 600x1200mm
Surface: Robusto







GRANDE ROBUSTO RUENA FAWN

V2

GRANDE ROBUSTO RUENA FAWN REVA



V2

Size: **600x1200mm**

Surface: **Robusto**

360° View

Actual Size Image



Wall: GRANDE ROBUSTO RUENA GREY REVA
Floor: GRANDE ROBUSTO RUENA GREY

Size: 600x1200mm
Surface: Robusto








GRANDE ROBUSTO RUENA GREY





V2

GRANDE ROBUSTO RUENA GREY REVA



V2

Size: **600x1200mm**

Surface: **Robusto**

360° View


Actual Size Image




Wall: GRANDE ROBUSTO RUENA SILVER REVA
Floor: GRANDE ROBUSTO RUENA SILVER

Size: 600x1200mm
Surface: Robusto







GRANDE ROBUSTO RUENA SILVER





V2

GRANDE ROBUSTO RUENA SILVER REVA

V2

Size: **600x1200mm**

Surface: **Robusto**

360° View

Actual Size Image



TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR EVERSTONE COLLECTION				
Nominal Size(mm)	Thickness (mm)	Avg. Wt. Per Carton (Kg.)	No. of Tiles Per Carton	Coverage Area Per Carton
600x1200mm	8.8 ±0.2mm	27.7 ± 0.5 kg	2	1.44 Sq. mtr / 15.50 Sq. ft

TECHNICAL SPECIFICATION FOR EVERSTONE COLLECTION				
Characteristics	Requirement as per IS 15622:2017 E±0.08 Group BIa	Requirement as per ISO 13006 ± 0.5% Group BIa	Our Value	Test Method
(A) Dimension & Surface Quality				IS 13630 Part 1 / ISO 10545-2
i) Length & Width	±0.1%	± 0.3%	±0.1%	
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.1%	± 0.3%	± 0.1%	
iv) Rectangularity	±0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center Curvature (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
b) Edge Curvature (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
c) Corner Warpage (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Avg. E ≤ 0.08% , Individual 0.1 Max	Avg. ≤ 0.5% , Individual 0.6% Max	Avg. E ≤ 0.08%	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Avg. 35 , Individual 32 min	Avg. 35 , Individual 32 Min	Avg. 35 , Individual 32 Min	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min 1300	Min 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 5	NA	Min 5	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle Passed	Class IV	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°C	6X 10^{-6}K^{-1} Max	Test Method Available	6X 10^{-6} K^{-1} Max	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Resistant	10 cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 cycle @ 7.5bar Min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO-10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class-1	Min. Class 3	Min Class 1	IS 13630 Part 8 / ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min. Class GB	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if agreed	Declared Value	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code.

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com