SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

DURAGRES / PLANKS / CATALOGUE / MAY 2026



UNIT 04 RANGE VOL 2 | MAY 2026

DURAGRES

PLANKS
collection

196 x 1200mm

SOMANY

The Soul of Wood, Reimagined

Where the forest whispers through every grain, ancient oaks hold stories in their rings, and sunlight dances across weathered bark, there dwells the soul of wood. The Duragres Planks collection translates wood's organic beauty into a contemporary masterpiece with tactile realism, subtle colour variations, and fine grain textures rendered in exquisite detail. Available in 196x1200mm format, the collection celebrates wood's authentic character through three distinctive finishes: Impression emulates subtle undulations that play with light and shadow, Rustic showcases weathered grain in pristine form, while Matt offers a velvety, low-sheen surface.

Engineered for enduring performance across residential, commercial, and hospitality spaces, from living rooms and dining areas to luxury hotels, shopping malls, cafes, terraces, and patios, it delivers superior resistance to scratches, stains, and moisture, with enhanced slip resistance for safety in wet areas.

A preferred choice for those who seek wood's timeless soul in spaces where longevity and aesthetic integrity are paramount.





INDEX

08 STRIO IMP CAMDEN WOOD BROWN

08 STRIO IMP CAMDEN WOOD GRIGIO

09 STRIO VALOR AKIO WOOD ROBBLE

09 STRIO VALOR AKONA WOOD ROBBLE

10 STRIO VALOR ARGENT WOOD ASH

10 STRIO VALOR BENZ WOOD ROBBLE

11 STRIO VALOR BURL WOOD BRICH

11 STRIO VALOR ELLE WOOD WANGE

14 STRIO VALOR CLETO AQUA

14 STRIO VALOR CLETO BROWN

15 STRIO VALOR CLETO DECOR

15 STRIO VALOR CLETO FOSSIL

16 STRIO VALOR CHESTER WOOD GREY

16 STRIO VALOR CHESTER WOOD ROBLE

17 STRIO VALOR KALIDA WOOD BROWN

17 STRIO VALOR SALIS WOOD ROBBLE

20 STRIO VALOR MOHAGNEY WOOD WENGE

20 STRIO VALOR VERANO WOOD TEAK

21 STRIO VALOR PYRUS WOOD TEAK

21 STRIO VALOR ROVERE WOOD TEAK

22 STRIO VALOR EKHO TEAK RT

22 STRIO VALOR EPIKA HAYA RT

23 STRIO VALOR EPIKA PINE RT

23 STRIO VALOR EPIKA TEAK RT

24 STRIO VALOR EPIKA CHERRY RT

DURAGRES



GRANDE IMP CAMDEN WOOD BROWN

Size: **196x1200mm**
Surface: **Impression**







STRIO IMP CAMDEN WOOD BROWN
196x1200mm | Surface: Impression
V4





STRIO IMP CAMDEN WOOD GRIGIO
196x1200mm | Surface: Impression
V4





STRIO VALOR AKIO WOOD ROBBLE
196x1200mm | Surface: Matt
V4





STRIO VALOR AKONA WOOD ROBBLE
196x1200mm | Surface: Matt
V4





STRIO VALOR ARGENT WOOD ASH
196x1200mm | Surface: Matt
V4





STRIO VALOR BURL WOOD BRICH
196x1200mm | Surface: Matt
V4





STRIO VALOR BENZ WOOD ROBBLE
196x1200mm | Surface: Matt
V6





STRIO VALOR ELLE WOOD WANGE
196x1200mm | Surface: Matt
V6



DURAGRES



STRIO VALOR CLETO DECOR
STRIO VALOR CLETO FOSSIL

Size: **196x1200mm**
Surface: **Matt**





Size
196x1200mm

Surface
Matt

NEW



STRIO VALOR CLETO AQUA
196x1200mm | Surface: Matt
V4



NEW



STRIO VALOR CLETO DECOR
196x1200mm | Surface: Matt
V4



NEW



STRIO VALOR CLETO BROWN
196x1200mm | Surface: Matt
V4



NEW



STRIO VALOR CLETO FOSSIL
196x1200mm | Surface: Matt
V4





STRIO VALOR CHESTER WOOD GREY
196x1200mm | Surface: Matt
V4





STRIO VALOR KALIDA WOOD BROWN
196x1200mm | Surface: Matt
V4





STRIO VALOR CHESTER WOOD ROBLE
196x1200mm | Surface: Matt
V4





STRIO VALOR SALIS WOOD ROBBLE
196x1200mm | Surface: Matt
V4



DURAGRES



STRIO VALOR MOHAGNEY WOOD WENGE

Size: **196x1200mm**
Surface: **Matt**





Size
196x1200mm

Surface
Matt



STRIO VALOR MOHAGNEY WOOD WENGE
196x1200mm | Surface: Matt
V4





STRIO VALOR PYRUS WOOD TEAK
196x1200mm | Surface: Matt
V4





STRIO VALOR VERANO WOOD TEAK
196x1200mm | Surface: Matt
V4





STRIO VALOR ROVERE WOOD TEAK
196x1200mm | Surface: Matt
V4





STRIO VALOR EKHO TEAK RT
196x1200mm | Surface: Rustic
V4





STRIO VALOR EPIKA PINE RT
196x1200mm | Surface: Rustic
V4





STRIO VALOR EPIKA HAYA RT
196x1200mm | Surface: Rustic
V6





STRIO VALOR EPIKA TEAK RT
196x1200mm | Surface: Rustic
V6



Size
196x1200mm

Surface
Rustic



STRIO VALOR EPIKA CHERRY RT
196x1200mm | Surface: Rustic

V4





STRIO VALOR EPIKA CHERRY RT Size: 196x1200mm | Surface: RUSTIC

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR PLANKS COLLECTION				
Nominal Size (mm)	Thickness (mm)	Avg. Wt. Per Carton (Kg.)	No. of Tiles Per Carton	Coverage Area Per Carton
196x1200mm	9mm	27.2 kg.	6	1.41 Sq. mtr / 15.18 Sq. ft.

TECHNICAL SPECIFICATION FOR PLANKS COLLECTION				
Characteristics	Requirement as per IS 15622:2017 <E≤0.08 Group BIa	Requirement as per ISO 13006 ≤ 0.5% Group BIa	Our Value	Test Method
(A) Dimension & Surface Quality				IS 13630 Part 1 / ISO 10545-2
i) Length & Width	±0.1%	± 0.3%	±0.1%	
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.1%	± 0.3%	± 0.1%	
iv) Rectangularity	±0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center Curvature (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
b) Edge Curvature (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
c) Corner Warpage (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Avg. E ≤ 0.08% , Individual 0.1 Max	Avg. ≤ 0.5% , Individual 0.6% Max	Avg. E = 0.08%	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture (N/mm2)	Avg. 35 , Individual 32 Min	Avg. 35 , Individual 32 Min	Avg. 35 , Individual 32 Min	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min 1300	Min 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 5	N/A	Min. 5 (for VC & RT)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle Passed	Class V (For VC & RT)	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°C	6X 10^{-6}K^{-1} Max	Test Method Available	6X 10^{-6} K^{-1} Max	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Resistant	10 cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 cycle @ 7.5bar Min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO-10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min. Class 3	Min Class 1 (For Matt)	IS 13630 Part 8 / ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min. Class GB	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if agreed	Declared Value	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code.

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com