SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)



UNIT 03 RANGE VOL 2 | MARCH 2026

DURAGRES

ROCKEN
collection

600 x 1200mm
600 x 600mm

SOMANY

DURAGRES


FULL BODY


ROCKEN COLLECTION

Over millennia, stone forms in silence, minerals gathering and compressing until something rare and permanent emerges. The Rocken collection draws from this quiet origin. Every speckle on its surface is not decoration but evidence, a trace of the natural world rendered permanent underfoot.

In 600x600mm and 600x1200mm, three finishes define the Rocken collection, each with a distinct character of its own. Full Polished draws warmth to the surface, richly scattered mineral speckles catching and holding light, lending a quiet grandeur to any interior. Matt carries the natural, unpolished character of stone, its non-reflective surface bold in texture and quiet in presence. Rustic evokes the granular beauty of natural stone in its most honest form. Beneath every finish lies a surface engineered to resist scratches, repel stains and dirt accumulation, and retain its pristine appearance, ensuring longevity. From private residences to offices, commercial and institutional interiors, and the enduring demands of exterior and high-traffic spaces, Rocken does not merely cover a surface. It defines one.








TECHNICAL FEATURES





APPLICATION AREAS





600x 1200mm

FULL BODY TILES



FLOOR: **ROCKEN GRANDE COFFEE FP**



FLOOR: **ROCKEN GRANDE COFFEE FP**



ROCKEN GRANDE COFFEE FP


600x1200mm
FULL POLISHED

360° View

GRANDE ROCKEN CREMA FP

600x1200mm
FULL POLISHED

360° View



GRANDE ROCKEN GRAPHITE FP

600x1200mm
FULL POLISHED

360° View

GRANDE ROCKEN SILK GREY FP

600x1200mm
FULL POLISHED

360° View

GRANDE ROCKEN WHITE FP

600x1200mm
FULL POLISHED

360° View

GRANDE ROCKEN WHITE PEARL FP

600x1200mm
FULL POLISHED

360° View



GRANDE ROCKEN COFFEE


600x1200mm
MATT

360° View

GRANDE ROCKEN CREMA

600x1200mm
MATT

360° View



GRANDE ROCKEN GRAPHITE

600x1200mm
MATT

360° View



GRANDE ROCKEN MINT

600x1200mm
MATT

360° View



GRANDE ROCKEN NERO


600x1200mm
MATT

360° View

GRANDE ROCKEN SILK GREY

600x1200mm
MATT

360° View



FLOOR: **GRANDE ROCKEN CREMA**



FLOOR: **GRANDE ROCKEN CREMA**



GRANDE ROCKEN STONE GREY

600x1200mm
MATT

360° View

GRANDE ROCKEN WHITE

600x1200mm
MATT

360° View

GRANDE ROCKEN WHITE PEARL

600x1200mm
MATT

360° View



FLOOR: **GRANDE ROCKEN STONE GREY**



600x 600mm

FULL BODY TILES



FLOOR: **ROCKEN GRAPHITE FP**



FLOOR: **ROCKEN GRAPHITE FP**

600x600mm

FULL POLISHED

FULL BODY
ROCKEN



ROCKEN COFFEE FP

600x600mm
FULL POLISHED

360° View



ROCKEN GRAPHITE FP

600x600mm
FULL POLISHED

360° View

ROCKEN SILK GREY FP

600x600mm
FULL POLISHED

360° View

ROCKEN WHITE FP

600x600mm
FULL POLISHED

360° View

ROCKEN CREMA FP

600x600mm
FULL POLISHED

360° View



ROCKEN SAND FP

600x600mm
FULL POLISHED

360° View

ROCKEN WHITE PEARL FP

600x600mm
FULL POLISHED

360° View



ROCKEN COFFEE

600x600mm
MATT

360° View



ROCKEN GRAPHITE

600x600mm
MATT

360° View

ROCKEN SLATE CREMA

600x600mm
MATT

360° View

ROCKEN SLATE SUPER WHITE

600x600mm
MATT

360° View



ROCKEN MINT

600x600mm
MATT

360° View



ROCKEN MUSHROOM

600x600mm
MATT

360° View



ROCKEN SLATE MINT

600x600mm
MATT

360° View



ROCKEN SLATE ASH

600x600mm
MATT

360° View



ROCKEN NERO

600x600mm
MATT

360° View



ROCKEN SAND

600x600mm
MATT

360° View



ROCKEN SLATE BLACK

600x600mm
MATT


360° View



ROCKEN SLATE GREY

600x600mm
MATT

360° View



FLOOR: **ROCKEN MINT**



FLOOR: **ROCKEN MINT**

600x600mm — MATT

ROCKEN SILK GREY

600x600mm
MATT

360° View

ROCKEN WHITE PEARL

600x600mm
MATT

360° View



ROCKEN STONE GREY

600x600mm
MATT

360° View

ROCKEN WHITE

600x600mm
MATT

360° View

RUSTIC — FULL BODY **ROCKEN**

ROCKEN CREMA


600x600mm
RUSTIC

360° View

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR ROCKEN COLLECTION				
Nominal Sizes (mm)	**Thickness (mm)**	**Avg. Wt. Per Carton (Kgs.)**	**No. of Tiles Per Carton**	**Coverage Area Per Carton**
600x600mm (Full Polished)	8.0	28.00	4	1.44sq.mtr/15.50sq.ft.
600x600mm (Matt)	8.5	28.00	4	1.44sq.mtr/15.50sq.ft.
600x1200mm (Full Polished)	8.8	28.20	2	1.44sq.mtr/15.50sq.ft.
600x1200mm (Matt)	9.2	30.00	2	1.44sq.mtr/15.50sq.ft.

TECHNICAL SPECIFICATION FOR ROCKEN COLLECTION				
Characteristics	**Requirement as per IS 15622 :2017 < 0.08 Group B I a**	**Requirement as per ISO 13006:2018 ≤ 5% Group B I a**	**Our Values**	**Test Method**
A) Dimension & Surface Quality				
i) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1 / ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 5.0%	
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%	
iv) Rectangularity	± 0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center Curvature (Max. Deviation)	± 0.5%	± 0.4%	± 0.2%	
b) Edge Curvature (Max. Deviation)	± 0.5%	± 0.4%	± 0.2%	
c) Corner Warpage (Max. Deviation)	± 0.5%	± 0.4%	± 0.2%	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Avg. ≤ 0.08%, Individual Max. 0.1%	Avg. ≤ 0.5 %, Individual 0.6% Max	< 0.08%, Individual Max 0.1%	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture [N/mm²]	Avg. 35, Individual 32 Min	Avg. 35, Individual 32 Min	Avg. > 35, Individual 32	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	1300	1300 N	Min.1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 6	N/A	Min.5 (For Matt), Min.3 (For Polished)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle Passed	Class V (For Matt), Class III (For Polished)	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100° C	6 X 10 $^{-6}$ K^{-1} Max	Test Method Available	Max 6 X 10 $^{-6}$ K^{-1} Max	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Shock Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 Cycle @ 7.5 Bar Min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Required	0.55 Min	S 13630 Part 14 / ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min Class 3	Min Class 1 (For Matt), Min Class 2 (For Polished)	IS 13630 Part 8 / ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Declared Value'	Min Class A	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

SOMANY

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com