SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)



UNIT 04 RANGE VOL 2 | JAN 2026

DURAGRES

TESORO
collection

600 x 1200mm

SOMANY



DURAGRES TESORO collection

In the language of luxury, Tesoro whispers of hidden riches. Duragres Tesoro unveils nature's rarest expressions in tile form, embodying the apex of Somany's luxury vitrified tile collection. Born from exotic stone, marble, and wood, each tile captures authentic depth and organic beauty through precision craftsmanship and advanced engineering. Available in two finishes, Matt, offering soft, understated elegance, and Lappato, revealing textured depth and organic tactility. Presented in a 600x1200mm format, the collection adapts seamlessly across varied aesthetics, from minimalist modern to richly layered environments. Engineered for enduring performance, Tesoro features uniform body colour throughout, ensuring exceptional resistance to wear, tear, and chipping. With complementary tones and textures, designers and homeowners can create cohesive interiors where walls, floors, and accents speak a unified visual language.

Not merely a surface,
but a luxury that transcends time.

APPLICATION AREAS

- COMMERCIAL AREAS
- HOTELS AND RESTAURANTS
- SHOPS AND MALLS
- OUTDOOR FURNITURE
- HOSPITALS
- PUBLIC PLACES
- RESIDENTIAL AREAS
- SCHOOLS AND COLLEGES

For the visionaries who shape exceptional spaces



Tesoro empowers architects and designers to realise their most ambitious visions, from statement hotel lobbies and signature corporate interiors to bespoke luxury residences and elevated retail experiences. A curated palette of complementary tones and textures allows seamless transitions from floor to feature wall, while light–dark layering adds depth, contrast, and spatial character.



TECHNICAL FEATURES

SUPERIOR MATT SURFACE

Our matt finish surfaces feature a subtle, refined (low-reflection) finish that softens light and minimises glare. This makes them ideal for a variety of settings.

ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI – IV ensures durability and maintains their pristine appearance for years.

EASY TO CLEAN

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.

- Non-Reflective
- Thermal Resistant
- Temperature Resistant
- Frost Resistant
- Chemical Resistant
- Water Repellent
- Abrasion & Wear Resistant
- Hygienic Surface

Index

600x1200mm

THE TESORO PALETTE

Warm neutrals, earthy browns, muted greens, and contemporary greys, a curated palette designed for layered surfaces and harmonious spatial transitions.



14 AERON AUREA BEIGE

20 AERON AUREA GREY

26 AERON AUREA OLIVE

32 AERON METODO GREY



56 ZION BEIGE

62 ZION BROWN

68 ZION OLIVE


74 ZION GREY



38 AERON HARO OLIVE

44 AERON HARO GREY


50 ZION NERO



WALL:
AERON
AUREA BEIGE

FLOOR:
AERON
AUREA BEIGE

THICKNESS:
9mm




WALL:
AERON
AUREA BEIGE

FLOOR:
AERON
AUREA BEIGE

THICKNESS:
9mm



TESORO COLLECTION



600x1200mm

AERON AUREA BEIGE

AERON AUREA BEIGE

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
AUREA GREY

FLOOR:
AERON
AUREA GREY


THICKNESS:
9mm




WALL:
AERON
AUREA GREY

FLOOR:
AERON
AUREA GREY

THICKNESS:
9mm





600x1200mm


AERON AUREA GREY

AERON AUREA GREY

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
AUREA OLIVE

FLOOR:
AERON
AUREA OLIVE


THICKNESS:
9mm



WALL:	FLOOR:	THICKNESS:
AERON **AUREA OLIVE**	AERON **AUREA OLIVE**	**9mm**



TESORO COLLECTION



600x1200mm

AERON AUREA OLIVE

AERON
AUREA OLIVE

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
METODO GREY

FLOOR:
AERON
METODO GREY

THICKNESS:
9mm



WALL:
AERON
METODO
GREY

FLOOR:
AERON
METODO
GREY

THICKNESS:
9mm



TESORO COLLECTION

600x1200mm




AERON METODO GREY

AERON
METODO
GREY


SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
HARO OLIVE

FLOOR:
AERON
HARO OLIVE

THICKNESS:
9mm

WALL:
AERON
HARO
OLIVE


FLOOR:
AERON
HARO
OLIVE

THICKNESS:
9mm

TESORO COLLECTION

600x1200mm

AERON HARO OLIVE



AERON
HARO OLIVE


SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm




V3



WALL:
AERON
HARO GREY

FLOOR:
AERON
HARO GREY

THICKNESS:
9mm



WALL:
AERON
HARO
GREY

FLOOR:
AERON
HARO
GREY


THICKNESS:
9mm

TESORO COLLECTION



600x1200mm

AERON HARO GREY




AERON
HARO GREY

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm




V3

WALL:
ZION
NERO

FLOOR:
ZION
NERO


THICKNESS:
9mm



WALL:
ZION
NERO

FLOOR:
ZION
NERO


THICKNESS:
9mm



TESORO COLLECTION

600x1200mm

ZION NERO




ZION
NERO

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
ZION
BEIGE


FLOOR:
ZION
BEIGE

THICKNESS:
9mm

WALL:
ZION
BEIGE

FLOOR:
ZION
BEIGE


THICKNESS:
9mm



TESORO COLLECTION

600x1200mm

ZION BEIGE




ZION
BEIGE

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm


V3



WALL:
ZION
BROWN

FLOOR:
ZION
BROWN


THICKNESS:
9mm



WALL:
ZION
BROWN

FLOOR:
ZION
BROWN


THICKNESS:
9mm



TESORO COLLECTION

600x1200mm

ZION BROWN




ZION
BROWN

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm



V3




WALL:	FLOOR:	THICKNESS:
ZION OLIVE	ZION OLIVE	9mm

WALL:
ZION
OLIVE

FLOOR:
ZION
OLIVE


THICKNESS:
9mm



TESORO COLLECTION

600x1200mm

ZION OLIVE




ZION
OLIVE

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
ZION
GREY

FLOOR:
ZION
GREY

THICKNESS:
9mm


WALL:
ZION
GREY

FLOOR:
ZION
GREY

THICKNESS:
9mm

600x1200mm

ZION GREY




ZION
GREY

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm



V3

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR TESORO COLLECTION				
Nominal Size(mm)	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200mm	9 mm	27.5 Kgs	2	1.44 Sq.Mtr / 15.50 Sq.Ft

TECHNICAL SPECIFICATION FOR TESORO COLLECTION				
Characteristics	Requirement as per IS 15622:2017 < E ≤ 0.08 Group BIa	Requirement as per ISO 13006:2018 0.5 ≤ E ≤ 3% Group B I a	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.1 %	± 0.3 %	± 0.1 %	IS 13630 Part 1 / ISO 10545-2
ii) Thickness	± 5.0 %	± 5.0 %	± 4.0 %	
iii) Straightness of Side	± 0.1 %	± 0.3 %	± 0.1 %	
iv) Rectangularity	± 0.1 %	± 0.3 %	± 0.1 %	
v) Surface Flatness				
a) Center Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
b) Edge Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
c) Corner Warpage (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Avr. E ≤ 0.08% Individual 0.1 Max	Avr. ≤ 0.5%, Individual 0.6 Max	Avr. E ≤ 0.08 %	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Avr. 35, Individual 32 Min	Avr. 35, Individual 32 Min	Avr. 35, Individual 32 Min	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min 1300	Min 1300	Min 1300	
iv) Moisture Expension in mm/m	0.02	Test method available	0.02	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 5	N. A	Min.6	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle passed	Class-IV	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100° C	6 X 10^{-6} K^{-1} max	Test method available	6 X 10^{-6} K^{-1} max	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Resistant	10 cycle Min	Test method available	10 cycle passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 min	Required	0.55 Min	ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 & ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if agreed	Declared Value[1]	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com