SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)



DURAGRES

GLAZED VITRIFIED TILES

800 x 1600mm

SOMANY



DURAGRES

A WORLD OF ENDLESS SURFACE POSSIBILITIES

Born from nature's finest inspirations, Somany's Duragres collection combines elegance, durability, and performance, fusing minimalist design with artistic flair while ensuring effortless upkeep. Available in the expansive 800x1600mm format, these exquisite finishes elevate every space with seamless sophistication. The collection offers distinctive finishes to suit every taste: the mirror-like shine of Full Polished, the ultra-reflective opulence of High Gloss, the soft warmth of Satin Matt, and Impression, featuring subtle dimension and timeless elegance, and Matt, with its smooth, understated surface, adds quiet sophistication to contemporary spaces. From kitchens and bathrooms to living areas and high-traffic spaces, Duragres transforms interiors into havens where design and life's moments coexist in lasting harmony.

TECHNICAL FEATURES

WATER REPELLENT

HYGIENIC SURFACE

NON-REFLECTIVE

THERMAL RESISTANT

CHEMICAL RESISTANT

ABRASION & WEAR RESISTANT

TEMPERATURE RESISTANT

GLOSS VALUE (GU)

FROST RESISTANT

LOAD & STRESS RESISTANT

EASY TO CLEAN

APPLICATION AREAS

RESIDENTIAL AREAS

COMMERCIAL AREAS

HOSPITALS

SHOPS AND MALLS


HOTELS AND RESTAURANTS

SCHOOLS AND COLLEGES

OUTDOOR FURNITURE

PUBLIC PLACES

FROM EARTH'S TOUCH TO ELEGANT LIVING





INDEX

MATT

ENORME LIVORNO BEIGE 12
ENORME LIVORNO CEMENTO 12
ENORME LIVORNO GREY 13
ENORME BS URBANO GREY (SATIN MATT) 13

IMPRESSION

ENORME DH VALOR IMP ATLAS BIANCO 18
ENORME DH VALOR IMP PERLATO CREMA 18
ENORME EL IMP CATALAN GREY 19
ENORME EL IMP CEZZANE SOFT 19
ENORME EL IMP COLONIAL WHITE 20
ENORME EL IMP GRAO MULTI 21
ENORME EL IMP TOSCANO PEARL 21
ENORME IMP ARIZONA BIANCO 24
ENORME IMP CALLIS BIANCO 24
ENORME IMP CERRO WHITE 25
ENORME IMP FILO BEIGE 25
ENORME IMP OLYMPO LIGHT GREY 26
ENORME IMP RADDIX WHITE 26

FULL POLISHED


ENORME EL ASTON BIANCO FP 32
ENORME EL ASTON CREMA FP 32
ENORME EL ATLAS BEIGE FP 33
ENORME EL CERVINO SNOW FP 33
ENORME EL COLONIAL WHITE FP 34
ENORME EL CRESTONA PEARL FP 34
ENORME EL DIVINITY ASH FP 35
ENORME EL DIVINITY CREMA FP 35
ENORME EL GRAO MULTI FP 38
ENORME EL ONEXO BEIGE FP 38
ENORME EL ONEXO PEARL FP 39
ENORME EL WEMBLEY CREMA FP 39
ENORME EL ZAFFIRO BRUNO FP 40
ENORME EL ZAFFIRO GREY FP 40
ENORME ARIZONA BIANCO FP 41
ENORME ATLAS CREMA FP 41
ENORME BRECCIA GOLD FP 44
ENORME CALLIS BIANCO FP 44
ENORME CAMUS BEIGE FP 45
ENORME CLOUDY ONYX FP 45
ENORME DH VALOR ANTIQUE CREMA FP 46
ENORME DH VALOR ATLAS BIANCO FP 46
ENORME DH VALOR CALCATTA FP 47
ENORME DH VALOR PERLATO CREMA FP 47
ENORME DH VALOR STATURIO PRIME FP 50
ENORME EON ANTELAO CREMA FP 50
ENORME EON ROSABELA GREY FP 51
ENORME FINESSIA BIANCO FP 51
ENORME GIALLO SILVER FP 52
ENORME IRISH BIANCO FP 52
ENORME IRISH CREMA FP 53
ENORME IRISH GREY FP 53
ENORME MARMI STATUARIO FP 56
ENORME MARONYX CREMA FP 56
ENORME MILENIO TEAL FP 57
ENORME PRISTINE CREMA FP 57
ENORME PRISTINE GREY FP 58
ENORME RADDIX WHITE FP 58
ENORME RELLIC ICE FP 59
ENORME SAHARA BEIGE FP 59
ENORME SAHARA GREY FP 62
ENORME SWISS SILVER FP 62
ENORME VITARA MOON FP 63

HIGH GLOSS

ENORME LUCIDO TAPPETO TEAL 68

ENGRAVO (Polished Carving)

ENORME EL HG IMP JORDAN GREY FP 69
ENORME EL HG IMP LASA WHITE FP 69



MATT

Surface

Experience the quiet sophistication of a matt-subtle to the eye, rich in texture. Available in a palette of distinguished shades, it adds depth without distraction. From the organic warmth of wood to the grounded strength of stone, each tile reflects natural grace. The inherent beauty of every design speaks softly yet powerfully, creating spaces that feelboth refined and welcoming.



MOH'S SCALE HARDNESS ≥ 5



ABRASION RESISTANT PEI-IV



SLIP RESISTANT R 9



GLOSS VALUE (GU) 10-15



WALL | ENORME LIVORNO GREY

FLOOR | ENORME LIVORNO GREY

GROUNDED IN STYLE, ELEVATED IN DESIGN




ENORME LIVORNO BEIGE

FACE 2 | V2

ENORME LIVORNO CEMENTO



FACE 2 | V2



ENORME LIVORNO GREY




FACE 2 | V2



ENORME BS URBANO GREY (SATIN MATT)



FACE 3 | V2





IMPRESSION

Surface

With its subtly carved matt finish, Impression brings layered depth and quiet character-adding dimension to any space. Thoughtfully designed to draw the eye and invite touch, creating a multi-sensory experienceof subtlesophistication. Its refined texture and understated elegance make it an ideal choice for bot contemporary and timeless interiors.



MOH'S SCALE HARDNESS ≥ 5 | ABRASION RESISTANT PEI-IV | SLIP RESISTANT R 9 | GLOSS VALUE (GU) 10-15



WALL | ENORME EL IMP CEZZANE SOFT

FLOOR | ENORME EL IMP CEZZANE SOFT

TEXTURES THAT TRANSFORM SPACES



ENORME DH VALOR IMP ATLAS BIANCO



FACE 2 | V3



ENORME DH VALOR IMP PERLATO CREMA




FACE 2 | V3

ENORME EL IMP CATALAN GREY



FACE 4 | V3



ENORME EL IMP CEZZANE SOFT

FACE 3 | V2



ENORME EL IMP COLONIAL WHITE

NEW



FACE 4 | V2



ENORME EL IMP GRAO MULTI



FACE 3 | V3

ENORME EL IMP TOSCANO PEARL

NEW



FACE 3 | V3





WALL | ENORME IMP OLYMPO LIGHT GREY

FLOOR | ENORME IMP OLYMPO LIGHT GREY

EARTHY TEXTURES, HOMELY VIBES



ENORME IMP ARIZONA BIANCO




FACE 3 | V3



ENORME IMP CALLIS BIANCO

FACE 4 | V2



ENORME IMP CERRO WHITE



FACE 6 | V2



ENORME IMP FILO BEIGE



FACE 4 | V3



ENORME IMP OLYMPO LIGHT GREY

FACE 3 | V3

ENORME IMP RADDIX WHITE



FACE 3 | V3

VIBRANT PALETTE INSPIRED BY NATURE





FULL POLISHED

Surface

The Full Polished finish brings refined elegance to any space with its high-gloss, mirror-like surface. It amplifies natural light, enhancing the sense of openness and highlighting the tile's intrinsic beauty. The high reflectivity of the surface adds depth and vibrancy to any interior, making it ideal for spaces that require a touch of luxury and grandeur.

MOH'S SCALE HARDNESS ≥ 3

ABRASION RESISTANT PEI-III

GLOSS VALUE (GU) MIN 90



WALL | ENORME EL ASTON CREMA FP

FLOOR | ENORME EL ASTON CREMA FP

DESIGNS THAT TRANSCEND TIME



ENORME EL ASTON BIANCO FP

NEW

FACE 3 | V3



ENORME EL ASTON CREMA FP

NEW



FACE 3 | V3

ENORME EL ATLAS BEIGE FP




FACE 2 | V3



ENORME EL CERVINO SNOW FP

NEW

FACE 3 | V2



ENORME EL COLONIAL WHITE FP

NEW



FACE 4 | V2



ENORME EL CRESTONA PEARL FP

NEW



FACE 3 | V2



ENORME EL DIVINITY ASH FP



FACE 3 | V3




ENORME EL DIVINITY CREMA FP



FACE 3 | V3





WALL | ENORME EL ONEXO BEIGE FP

FLOOR | ENORME EL ONEXO BEIGE FP

YOUR SPACES DESERVE THE EXTRAORDINARY



ENORME EL GRAO MULTI FP



FACE 3 | V3

ENORME EL ONEXO BEIGE FP

NEW

FACE 3 | V2

ENORME EL ONEXO PEARL FP

NEW

FACE 3 | V2

ENORME EL WEMBLEY CREMA FP



FACE 3 | V2



ENORME EL ZAFFIRO BRUNO FP



FACE 4 | V2



ENORME EL ZAFFIRO GREY FP



FACE 4 | V2



ENORME ARIZONA BIANCO FP



FACE 3 | V3



ENORME ATLAS CREMA FP



FACE 2 | V3





WALL | ENORME ARIZONA BIANCO FP

FLOOR | ENORME ARIZONA BIANCO FP

LET YOUR SPACES SPEAK LOUDER



ENORME BRECCIA GOLD FP




FACE 3 | V3



ENORME CALLIS BIANCO FP

FACE 4 | V2



ENORME CAMUS BEIGE FP



FACE 3 | V3



ENORME CLOUDY ONYX FP

FACE 1 | V 1



ENORME DH VALOR ANTIQUE CREMA FP

FACE 3 | V3

ENORME DH VALOR ATLAS BIANCO FP



FACE 2 | V3



ENORME DH VALOR CALCATTA FP



FACE 3 | V2



ENORME DH VALOR PERLATO CREMA FP



FACE 2 | V3



WALL | ENORME IRISH BIANCO FP
ENORME IRISH GREY FP

FLOOR | ENORME IRISH GREY FP

SOMANY DURAGRES

SIGNATURE DESIGNS WITH DISTINCTIVE SPACES



ENORME DH VALOR STATURIO PRIME FP



FACE 3 | V3



ENORME EON ANTELAO CREMA FP

FACE 2 | V3

ENORME EON ROSABELA GREY FP




FACE 2 | V3



ENORME FINESSIA BIANCO FP

FACE 3 | V2




SOMANY DURAGRES

ENORME GIALLO SILVER FP

FACE 3 | V3

ENORME IRISH BIANCO FP

FACE 2 | V3



ENORME IRISH CREMA FP



FACE 2 | V3

ENORME IRISH GREY FP



FACE 2 | V3





WALL | ENORME MARMI STATUARIO FP

FLOOR | ENORME MARMI STATUARIO FP

BOLD DESIGNS, LUXURIOUS FINISHES



ENORME MARMI STATUARIO FP



360°

FACE 3 | V2



ENORME MARONYX CREMA FP



360°

FACE 3 | V3



ENORME MILENIO TEAL FP



360°

FACE 3 | V3



ENORME PRISTINE CREMA FP

360°

FACE 3 | V3

ENORME PRISTINE GREY FP

FACE 3 | V3

ENORME RADDIX WHITE FP




FACE 3 | V3



ENORME RELLIC ICE FP



FACE 4 | V4



ENORME SAHARA BEIGE FP



FACE 3 | V2





WALL | ENORME PRISTINE GREY FP

FLOOR | ENORME PRISTINE GREY FP

DESIGNS THAT CELEBRATE LIVING



ENORME SAHARA GREY FP

FACE 3 | V2

ENORME SWISS SILVER FP


FACE 3 | V2

ENORME VITARA MOON FP



FACE 3 | V2





HIGH GLOSS

Surface

The High Gloss finish enhances the richness of colour and design, delivering a smooth, highly reflective surface. The result is clean and radiant, making it a popular choice for modern and contemporary spaces. It adds visual depth and openness to interiors, making it ideal for urban homes and open-plan areas.



MOH'S SCALE HARDNESS ≥ 3



ABRASION RESISTANT PEI-III



GLOSS VALUE (Gu) MIN 95




WALL | ENORME LUCIDO TAPPETO TEAL

FLOOR | ENORME EL DIVINITY CREMA FP


A GLOSSY STROKE OF MAGNIFICENCE



ENORME LUCIDO TAPPETO TEAL



FACE 4 | V2



ENORME EL HG IMP JORDAN GREY FP



FACE 4 | V3



ENORME EL HG IMP LASA WHITE FP




FACE 4 | V2



DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

SOMANY DURAGRES

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR DURAGRES COLLECTION				
Nominal Size (mm)	Thickness (mm)	Avg. Wt. Per Carton (Kgs.)	No.of Tiles Per Carton	Coverage Area Per Carton
800x1600mm	9.0(+/-0.2)	50.0 (+/-0.50 kgs)kgs	2	2.56 Sq.Mtr

TECHNICAL SPECIFICATION FOR DURAGRES COLLECTION				
Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a	Requirement as per ISO 13006 ≤ 0.5% Group B I a	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.1 %	± 0.3 %	± 0.1 %	IS 13630 Part 1 / ISO 10545-2
ii) Thickness	± 5.0 %	± 5.0 %	± 4.0 %	
iii) Straightness of Side	± 0.1 %	± 0.3 %	± 0.1 %	
iv) Rectangularity	± 0.1 %	± 0.3 %	± 0.1 %	
v) Surface Flatness				
a) Center Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
b) Edge Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
c) Corner Warpage (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	Avg ≤ 0.08%, Individual 0.1 Max	Avg ≤ 0.5 %, Individual 0.6 % Max	Avg E ≤ 0.08 %	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Avg 35, Individual 32 Min	Avg 35, Individual 32 Min	Avg. 35, Individual 32	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min 1300	Min 1300	Min 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 5	N/A	3 (For Engravo), 5 (For Matt), 3 (For Polished), 5 (For Impression)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle Passed	Class-III (Engravo), Class-IV (Matt) Class-III (Polished), Class-IV (Impression)	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100° C	6 X 10 $^{-6}$ K^{-1} max	Test Method Available	6 X 10 $^{-6}$ K^{-1} max	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Resistant	10 cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 cycle @ 7.5bar min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant Coefficient of Restitution (COR)	0.55 min	Required	0.55 Min	IS 13630 Part 14 / ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
I) Stain Resistant	Min Class 1	Min Class 3	Min Class-1 (For Matt), Min Class 2 (For Polished)	IS 13630 Part 8 & ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 6 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Declared Value	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

SOMANY

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces — walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at **www.somanyceramics.com** or call on **Toll Free: 1800 103 0004**

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com