Power of Desire

SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump,
B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

Visit us at: www.somanyceramics.com

Find us at: www.facebook.com/SomanyCeramic

Find us at: www.twitter.com/SomanyCeramic

Find us at: www.instagram.com/SomanyCeramics

DURASTONE / CAT / SEPTEMBER 2024

DURASTONE
HEAVY DUTY VITRIFIED TILES

SOMANY

NEW ARRIVAL



HEAVY DUTY VITRIFIED
TILES COLLECTION

300x300mm I 500x500mm

UNIT-3
FOR ALL INDIA

THE FINEST ESSENCE OF THE OUTDOORS

Discover the unparalleled strength and beauty of our 300x300mm & 500x500mm outdoor heavy-duty vitrified tiles. Perfectly crafted to withstand the elements, these tiles offer a seamless blend of durability and elegance. Whether for patios, walkways, or garden areas, they enhance any outdoor space with a sophisticated and enduring charm. Embrace the ultimate in outdoor living with our versatile and stylish tile collection.

300x300mm I 500x500mm



DURASTONE
HEAVY DUTY VITRIFIED TILES

CONTENT



04

OUTDOOR VITRIFIED TILES

500x500mm

Matt Finish



16

OUTDOOR VITRIFIED TILES

300x300mm

Matt Finish

KEY FEATURES

- Anti Skid
- Frost Resistance
- High Flexural Strength
- Easy To Clean
- Suitable For Indoor & Outdoor Application
- Wear Resistance
- Eco Friendly & Recyclable
- Thickness
- Heavy Load Bearing
- High Mechanical Resistance
- Floor Tiles
- Chromatic Properties
- Fire Resistance
- Chemical Resistance

OUTDOOR VITRIFIED TILES

Tiles Shown: **AMOS MULTI** | Size - **500x500mm**

Surface - **Matt**

50x
50cm

DURASTONE
HEAVY DUTY VITRIFIED TILES



OUTDOOR VITRIFIED TILES

Size - **500x500mm**
Surface - **Matt**

50x
50cm

DURASTONE
HEAVY DUTY VITRIFIED TILES



AMOS BLUE Punch



AMOS BROWN Punch



AMOS GREY Punch



AMOS MULTI Punch



AMOS NATURAL Punch



FOGGIA BROWN Punch



FOGGIA GREY Punch



FOGGIA GREEN Punch

OUTDOOR VITRIFIED TILES

Size - **500x500mm**
Surface - **Matt**

50x
50cm



CABINA MINT DÉCOR Punch



CABINA GREY Punch



CABINA RUST Punch



CABINA BLACK Punch

DURASTONE
HEAVY DUTY VITRIFIED TILES



ENOS BROWN DECOR Punch



ENOS BROWN Punch



ENOS GREY DECOR Punch



ENOS GREY Punch

OUTDOOR VITRIFIED TILES

Tiles Shown: **PERFIL BLACK** | Size - **500x500mm**
Surface - **Matt**

50x
50cm

DURASTONE
HEAVY DUTY VITRIFIED TILES



OUTDOOR VITRIFIED TILES

Size - **500x500mm**
Surface - **Matt**

50x
50cm



MOTIVO GREY Punch



MOTIVO BLUE Punch



MOTIVO COTTO Punch



MOTIVO COFFEE Punch

DURASTONE
HEAVY DUTY VITRIFIED TILES



DURELL GREY Punch



DURELL BROWN Punch



PERFIL LIGHT Plain



PERFIL BLACK Plain

OUTDOOR VITRIFIED TILES

Size - **500x500mm**
Surface - **Matt**

50x
50cm



STELLO GREY Punch



STELLO BROWN Punch



SOLUM GREY Punch



SOLUM MULTI Punch

DURASTONE
HEAVY DUTY VITRIFIED TILES



ZESIRO CREMA Punch



ZESIRO GREY Punch



ZESIRO SAND Punch



ZESIRO NERO Punch

OUTDOOR VITRIFIED TILES

Tiles Shown: **GEMA GRIS** | Size - **300x300mm**

Surface - **Matt**

30x
30cm

DURASTONE
HEAVY DUTY VITRIFIED TILES



OUTDOOR VITRIFIED TILES

Size - **300x300mm**
Surface - **Matt**

30x
30cm



CLEO BROWN



CIARA BROWN



CORA BROWN



CORA GREY



DIXIE BROWN



DIXIE MULTI

DURASTONE
HEAVY DUTY VITRIFIED TILES



ELINA BROWN



ELINA GREY



ERICA MULTI



FAIZA BLACK



FALON BROWN



FALON GREY

OUTDOOR VITRIFIED TILES

Size - **300x300mm**
Surface - **Matt**

30x
30cm



GEMA BROWN



GEMA GREY



GEMA GRIS



GLORIA GRIS



GLORIA DARK BROWN



GLORIA LIGHT BROWN

DURASTONE
HEAVY DUTY VITRIFIED TILES



GLORIA DARK GREY



GLORIA BLACK



MILO BLUE



MILO DARK BROWN



MILO LIGHT BROWN



MILO MULTI

OUTDOOR VITRIFIED TILES

Tiles Shown: **ORLA GREY** | Size - **300x300mm**

Surface - **Matt**

30x
30cm

DURASTONE
HEAVY DUTY VITRIFIED TILES



OUTDOOR VITRIFIED TILES

Size - **300x300mm**
Surface - **Matt**

30x
30cm



LINA BLUE



LINA BROWN



LINA COFFEE



LINA GREY



LINA MULTI



MACIE BROWN

DURASTONE
HEAVY DUTY VITRIFIED TILES



ORLA GREY



ORLA BROWN



OLENA TEAL



OLENA BROWN



OLENA BLACK

OUTDOOR VITRIFIED TILES

Size - **300x300mm**
Surface - **Matt**

30x
30cm



POLINA BLUE



POLINA BROWN



PIETRO GREY



PIETRO BROWN

DURASTONE
HEAVY DUTY VITRIFIED TILES

Tiles Shown: **PIETRO GREY** | Size - **300x300mm**
Surface - **Matt**



OUTDOOR VITRIFIED TILES

Size - **300x300mm**
Surface - **Matt**

30x
30cm


RYLAN LIGHT GREY STEP


RYLAN DARK GREY STEP


RYLAN BROWN STEP

RYLAN LIGHT GREY


RYLAN DARK GREY


RYLAN BROWN


PEREL GREY STEP


OSTARA BROWN STEP


DANIA COFFEE STEP


PEREL GREY


OSTARA BROWN


DANIA COFFEE

DURASTONE
HEAVY DUTY VITRIFIED TILES

Tiles Shown: **RYLAN DARK GREY STEP & RYLAN DARK GREY** | Size - **300x300mm**
Surface - **Matt**



OUTDOOR VITRIFIED TILES
Size - **300x300mm**
Surface - **Matt**

30x
30cm

DURASTONE
HEAVY DUTY VITRIFIED TILES

COOL BREEZE

The smarter way to
keep your home, cooler,
protected and energy-efficient.

300x300mm





Reduce Room Temperature, Save On Energy Bills

Ideal For Sun-facing Sides And Rooftops





TECHNICAL SPECIFICATION

50x 50cm | 30x 30cm

PACKAGING DETAIL FOR DURASTONE TILES - 300x300mm & 500x500mm				
Nominal Size	**Thickness**	**Avg. Wt. Per Box (Kg.)**	**No. of Tiles Per Box**	**Coverage Area Per Box**
300x300mm (Pave Smart)	8.8mm	13.5 kg	8	0.72 sq meter / 7.75sq feet
500x500mm (Pavesmart)	11mm	17.5 kg	3	0.75 sq meter / 8.07sq feet

TECHNICAL SPECIFICATION FOR DURASTONE TILES - 300x300mm & 500x500mm				
Characteristics	**Requirement as per ISO 13006:2018 0.5% ≤ 3.0% Group B I b**	**Requirement as per IS 15622:2017 0.08≤E≤3.0 Group BIb**	**Our Values**	**Test Method**
Dimension & Surface Quality				
Length & Width	± 0.3%	± 0.1%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
Thickness	± 5.0%	± 5.0%	± 4.0%	
Straightness of Side	± 0.30%	± 0.1%	± 0.10%	
Rectengularity	± 0.30%	± 0.1%	± 0.10%	
Surface Flatness				
Center curvature (%) (max.Deviation)	± 0.40%	± 0.50%	± 0.2%	
Edge curvature (%) (max.Deviation)	± 0.40%	± 0.50%	± 0.2%	
Corner warpage (%)(max.Deviation)	± 0.40%	± 0.50%	± 0.2%	
Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
Physical Properties				
Water Absorption	Avg. 0.5 ≤ E ≤ 3.0	Avg. 0.08 ≤ E ≤ 3.0	Avg. < 3.0 %	IS 13630 Part 2/ ISO 10545-3
Modulus of Rupture [N/mm²]	Av 30, Individual 27 min	Av 30, Individual 27 min	Avg.> 30	IS 13630 Part 6/ ISO 10545-4
Breaking Strength in N	1100 N	1100 N	Min. 1100 N	
Moisture Expansion in mm/m	Test Method Available	0.02 Max	Max. 0.02	IS 13630 Part 3/ ISO-10545-10
Scratch Hardness of surface (Moh's)	N/A	Min. 5	Min. 5	IS 13630 Part-13
Resistance to Surface Abrasion of Glaze Tiles	Min Class II	Min II	Gr IV	IS 13630 Part 11/ ISO 10545-Part 7
Coefficient of linear thermal expansion from embiant temperature to 100° C	Test Method Available	Max. 7 x10-6 K-1	Max 6 X 10 $^{-6}$ K^{-1} max	IS 13630 Part 4/ ISO 10545-8
Thermal Shock Resistance	Required	Min 10 Cycle Passed	10 cycle passed	IS 13630 Part 5/ ISO-10545-9
Crazing Resistance	N/A	Min 4 Cycles @ 7.5 bar, Min.	4 cycle passed	IS 13630 Part 9/ ISO 10545-11
Imapct Resistance as Co-efficient of Restitution (COR)	Test Method Available	Min 0.55	Min 0.55	IS 13630 Part 5/ ISO-10545-14
Frost Resistance	Required	Required if agreed	100 Cycle Passed	IS 13630 Part 10/ ISO 10545-12
Stain & Chemical Resistance				
Stain Resistance	Min Class 3	Min Class 1	Min Class 2	IS 13630 Part 8/ ISO 10545-14
Resistance to household chemicals	Minimum B	Required if agreed	Min Class A	IS 13630 Part 8/ ISO 10545-14
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Declared Value[†]	Required if agreed	Min Class A	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

NOTES

DURASTONE
HEAVY DUTY VITRIFIED TILES

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamanto Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com