SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

DURAGRES / CAT / FEBRUARY - 2025


DURAGRES

800x1600mm

9mm thickness



SOMANY


ART MEETS CURATED
CRAFTSMANSHIP


Timeless Elegance, Versatile Surfaces

Somany Tiles embody elegance and innovation, crafted to transform spaces with timeless beauty and superior craftsmanship. From the luminous allure of High Gloss to the intricate textures of Engravo, Impression, and the ultra-smooth, glass-like finish of Full Polished, each collection is designed to inspire. Precision-engineered for durability, these tiles offer exceptional resistance to impact, stains, and wear, ensuring lasting perfection.

Whether elevating grand interiors or refining outdoor spaces, these tiles harmonise artistry with functionality. Step into a realm where luxury meets performance, and let every surface tell a story of enduring sophistication.

Application Areas

- RESIDENTIAL AREAS
- COMMERCIAL AREAS
- HOSPITALS
- SHOPS AND MALLS
- HOTELS AND RESTAURANTS
- SCHOOLS AND COLLEGES
- OUTDOOR FURNITURE
- PUBLIC PLACES



Excellence Redefined

TECHNICAL FEATURES



SUPERIOR GLOSS SURFACE

Our tiles feature a stunning, high-gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambience.

EASY TO CLEAN

Our Strong Surface Tiles are easy to clean and maintain, thanks to their non-porouss surface that resists dirt and stains





ABRASION RESISTANCE FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI-4 ensures durability and maintains their pristine appearance for years.

REFLECTIVE GLOSS INDEX <8

Our tiles feature a subtle, low-reflection finish, reducing glare and creating a more comfortable visual experience. This makes them ideal for various settings, including spaces with significant natural light.



PRECISION

IN EVERY PATTERN

Range, Colours, Size & Finishes

Finish
HIGH GLOSS

Page No.
10-23



ENORME KS LUCIDO AKTON BLACK



ENORME KS LUCIDO AMALFI GOLD



ENORME KS LUCIDO MILDEN BLACK

Finish
FULL POLISHED

Page No.
24-73



ENORME KS EL ORVIETO GREY FP



ENORME KS EL CORATO BEIGE FP



ENORME KS ELDEN BEIGE FP



ENORME KS ELDEN GRIGIO FP



ENORME KS EL CATANIA BEIGE FP



ENORME KS EL CATANIA GREY FP



ENORME KS EMPOLI ONYX PEARL FP

ENORME KS EL AQUINO CREMA FP

ENORME KS EL AQUINO SILVER FP



ENORME KS ARPINO IVORY FP

ENORME KS EL LASA NATURAL FP



ENORME KS BELLINI VERDE FP

Finish
FULL POLISHED

Page No.
74-117

ENORME KS TAJMAHAL NATURAL FP



ENORME KS ACQUILEA GOLD FP

ENORME KS COMISO ONYX BIANCO FP

ENORME KS ARMANI GREY FP

ENORME KS CALACATTA FP



ENORME KS CALACATTA VERDE FP

ENORME KS CALLIS BIANCO FP

ENORME KS EL DIVINITY ASH FP

ENORME KS EON ANTELAO CREMA FP

ENORME KS IRISH BIANCO FP



ENORME KS PERLATO CREMA FP

Finish
ENGRAVO
Page No. **118-123**

Finish
IMPRESSION

Page No.
124-146

ENORME KS EL ENGRAVO CASCINA NATURAL FP

ENORME KS IMP ORBINO PEARL



ENORME KS IMP ORBINO GREY

ENORME KS EL IMP MODICA IVORY

ENORME KS EL IMP MODICA PEARL

ENORME KS IMP RADDIX WHITE



HIGH GLOSS

800 x 1600 mm

The High Gloss Collection embodies luxury with its mirror-like finish, reflecting light to create a spacious and elegant ambience. Its sleek, polished surface enhances depth and vibrancy, adding a touch of sophistication to any space. Designed for durability, these tiles resist stains and moisture, ensuring long-lasting beauty. Perfect for upscale interiors, they blend timeless charm with modern brilliance.

THICKNESS

9mm

SIZE

800 x 1600mm

FINISH


High Gloss



FLOOR
ENORME KS LUCIDO AKTON BLACK
Size: 800 x 1600mm | Finish: High Gloss

ENORME KS
LUCIDO AKTON BLACK





Size : **800x1600mm**
Surface : **High Gloss**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



FLOOR
ENORME KS LUCIDO AKTON BLACK
Size: 800 x 1600mm | Finish: High Gloss

WALL
ENORME KS ACQUILEA GOLD FP
Size: 800 x 1600mm | Finish: Full Polished




WALL
ENORME KS LUCIDO AMALFI GOLD
Size: 800 x 1600mm | Finish: High Gloss

FLOOR
ENORME KS EL LASA NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished


ENORME KS
LUCIDO AMALFI GOLD





Size : **800x1600mm**
Surface : **High Gloss**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS LUCIDO AMALFI GOLD
Size: 800 x 1600mm | Finish: High Gloss

WALL & FLOOR
ENORME KS EL LASA NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished





WALL

ENORME KS LUCIDO MILDEN BLACK

Size: 800 x 1600mm | Finish: High Gloss

ENORME KS
LUCIDO MILDEN BLACK






Size : **800x1600mm**
Surface : **High Gloss**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL
ENORME KS LUCIDO MILDEN BLACK
Size: 800 x 1600mm | Finish: High Gloss

WALL & FLOOR
ENORME KS EL CATANIA BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished



FULL POLISHED

800 x 1600 mm

The Full Polish Collection redefines elegance with its ultra-smooth, glass-like finish, enhancing spaces with unmatched brilliance. Its high-reflective surface amplifies light, creating a sense of depth and grandeur. Engineered for resilience, it ensures lasting elegance. Ideal for luxurious interiors, the collection offers an exquisite balance of style and contemporary allure.

THICKNESS

9mm

SIZE

800 x 1600mm

FINISH


Full Polished



WALL & FLOOR
ENORME KS EL ORVIETO GREY FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL ORVIETO GREY FP






Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS EL ORVIETO GREY FP
Size: 800 x 1600mm | Finish: Full Polished

WALL & FLOOR
ENORME KS EL AQUINO SILVER FP
Size: 800 x 1600mm | Finish: Full Polished




WALL
ENORME KS EL CORATO BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished

FLOOR
ENORME KS EL AQUINO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL CORATO BEIGE FP





Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL
ENORME KS EL CORATO BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished

WALL & FLOOR
ENORME KS EL AQUINO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR

ENORME KS ELDEN BEIGE FP

Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
ELDEN BEIGE FP






Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW




WALL & FLOOR
ENORME KS ELDEN BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS ELDEN GRIGIO FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
ELDEN GRIGIO FP





Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR

ENORME KS ELDEN GRIGIO FP

Size: 800 x 1600mm | Finish: Full Polished





WALL & FLOOR

ENORME KS EL CATANIA BEIGE FP

Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL CATANIA BEIGE FP






Size : **800x1600mm**

Surface : **Full Polished**


Thickness : **9 mm**

Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS EL CATANIA BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished



FLOOR
ENORME KS EL CATANIA GREY FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL CATANIA GREY FP





Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS EL CATANIA GREY FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS EMPOLI ONYX PEARL FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EMPOLI ONYX PEARL FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS EMPOLI ONYX PEARL FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS EL AQUINO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL AQUINO CREMA FP

Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS EL AQUINO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS EL AQUINO SILVER FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL AQUINO SILVER FP

Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**


360 VIEW



WALL & FLOOR

ENORME KS EL AQUINO SILVER FP

Size: 800 x 1600mm | Finish: Full Polished



FLOOR
ENORME KS ARPINO IVORY FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
ARPINO IVORY FP






Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS ARPINO IVORY FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS EL LASA NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL LASA NATURAL FP

Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS EL LASA NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS BELLINI VERDE FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
BELLINI VERDE FP





Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS BELLINI VERDE FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS TAJMAHAL NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
TAJMAHAL NATURAL FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS TAJMAHAL NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished

CENTRE AREA
ENORME KS LUCIDO AKTON BLACK
Size: 800 x 1600mm | Finish: High Gloss



WALL & FLOOR
ENORME KS ACQUILEA GOLD FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
ACQUILEA GOLD FP





Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V4**

360 VIEW

WALL & FLOOR

ENORME KS ACQUILEA GOLD FP

Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR

ENORME KS COMISO ONYX BIANCO FP

Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
COMISO ONYX BIANCO FP

Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW




WALL & FLOOR
ENORME KS COMISO ONYX BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS ARMANI GREY FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
ARMANI GREY FP





Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS ARMANI GREY FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS CALACATTA FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
CALACATTA FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS CALACATTA FP
Size: 800 x 1600mm | Finish: Full Polished

WALL
ENORME KS LUCIDO AKTON BLACK
Size: 800 x 1600mm | Finish: High Gloss



WALL & FLOOR
ENORME KS CALACATTA VERDE FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
CALACATTA VERDE FP





Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS CALACATTA VERDE FP
Size: 800 x 1600mm | Finish: Full Polished

WALL
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression



WALL & FLOOR
ENORME KS CALLIS BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
CALLIS BIANCO FP

Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V4**

360 VIEW



WALL & FLOOR
ENORME KS CALLIS BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished

WALL
ENORME KS ELDEN GRIGIO FP
Size: 800 x 1600mm | Finish: Full Polished



FLOOR
ENORME KS EL DIVINITY ASH FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL DIVINITY ASH FP






Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS EL DIVINITY ASH FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS EON ANTELAO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EON ANTELAO CREMA FP

Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V2**

360 VIEW



WALL & FLOOR
ENORME KS €ON ANTELAO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS IRISH BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
IRISH BIANCO FP

Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V2**

360 VIEW



WALL & FLOOR
ENORME KS IRISH BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished

WALL
ENORME KS EL ORVIETO GREY FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR
ENORME KS PERLATO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
PERLATO CREMA FP





Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V2**

360 VIEW



WALL & FLOOR
ENORME KS PERLATO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



ENGRAVO

800 x 1600 mm

The Engravo Collection redefines luxury, combining intricate craftsmanship with a radiant polished finish. Its carved textures create a captivating play of light and depth, adding elegance to any space. Designed for both classic and modern interiors, these tiles exude timeless charm, elevating walls and floors with a seamless blend of artistry and sophistication.

THICKNESS

9mm

SIZE

800 x 1600mm

FINISH

Engravo



WALL & FLOOR
ENORME KS EL ENGRAVO CASCINA NATURAL FP
Size: 800 x 1600mm | Finish: Engravo

ENORME KS
EL ENGRAVO CASCINA NATURAL FP



Size : **800x1600mm**
Surface : **Engravo**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS EL ENGRAVO CASCINA NATURAL FP
Size: 800 x 1600mm | Finish: Engravo



IMPRESSION

800 x 1600 mm

The Impression Collection is a work of art, offering exceptional texture and depth, designed to bring a sophisticated yet natural appeal to any space. Its finely carved surface adds a tactile dimension, enhancing the beauty of intricate patterns with a subtle matte finish. The fusion of artistic detailing and muted elegance makes it the perfect choice for creating applications with timeless charm.

THICKNESS

9mm

SIZE

800 x 1600mm

FINISH

Impression



WALL & FLOOR

ENORME KS IMP ORBINO PEARL

Size: 800 x 1600mm | Finish: Impression

ENORME KS
IMP ORBINO PEARL





Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**

360 VIEW




WALL & FLOOR
ENORME XS IMP ORBINO PEARL
Size: 800 x 1600mm | Finish: Impression



WALL & FLOOR
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression

ENORME KS
IMP ORBINO GREY






Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL & FLOOR
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression



FLOOR
ENORME KS EL IMP MODICA IVORY
Size: 800 x 1600mm | Finish: Impression

ENORME KS
EL IMP MODICA IVORY



Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**

360 VIEW

WALL & FLOOR

ENORME KS EL IMP MODICA IVORY

Size: 800 x 1600mm | Finish: Impression



WALL
ENORME KS EL IMP MODICA PEARL
Size: 800 x 1600mm | Finish: Impression

FLOOR
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression

ENORME KS
EL IMP MODICA PEARL

Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**

360 VIEW



WALL
ENORME KS EL IMP MODICA PEARL
Size: 800 x 1600mm | Finish: Impression

FLOOR
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression



WALL & FLOOR
ENORME KS IMP RADDIX WHITE
Size: 800 x 1600mm | Finish: Impression

ENORME KS
IMP RADDIX WHITE



Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**

360 VIEW




WALL & FLOOR
ENORME KS IMP RADDIX WHITE
Size: 800 x 1600mm | Finish: Impression

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

PACKAGING DETAIL FOR 800x1600mm GVT TILES				
Nominal Size (mm)	**Thickness**	**Avg. Weight per Carton (Kgs)**	**No. of Tiles Per Carton**	**Coverage Area Per Carton**
800X1600 MM DURAGRES	9.0 mm	51 Kgs. / Box (Appx)	2 Pcs.	2.56 Sq. Mtr / 27.55 Sq. Ft.

TECHNICAL SPECIFICATION FOR 800x1600mm GVT TILES				
Characteristics	**Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a**	**Requirement as per ISO 13006:2018 E ≤ 0.5% - Group B I a (Annex G)**	**Our Values**	**Test Method**
A) Dimension & Surface Quality				
i) Length & Width %	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness %	± 5.00%	± 5.00%	± 4.0%	
iii) Straightness of Side %	± 0.10%	± 0.30%	± 0.10%	
iv) Rectengularity %	± 0.10%	± 0.30%	± 0.10%	
v) Surface Flatness				
a) Center curvature (%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.20 %	
b) Edge curvature (%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.20 %	
c) Corner warpage (%)(Max.Deviation)	± 0.50%	± 0.40%	± 0.20 %	
(VI) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	Average E ≤ 0.08%, Individual Max.0.1%	Av ≤ 0.5 %, Individual 0.6% max	Av 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm²]	Avr 35, Individual 32 Min	Avr 35, Individual 32 Min	Avg-38,	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min 1400	
iv) Moisture Expansion in mm/m	0.02	Test method available	Max 0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A	4-6 (depends on surface)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles (Class I to V)	Min II	Report abrasion class and cycles passed	Class V (for VC), Class IV (for Non VC), Class III (For polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of Linear Thermal Expansion from Ambient Temperature to 100 0 C	6 X 10 $^{-6}$ K^{-1} max	Test method available	Max 6 X 10 $^{-6}$ K^{-1}	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle Min	Test method available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution (COR)	0.55 min	Test method available	0.75-0.90	IS 13630 Part 14/ISO 10545-5
xi) Bulk Density (gm/cc)	2.2	N.A	2.25	IS 13630 Part 2
xii) Coefficient of Friction	Where required manufacturer to declare value	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
c) Chemical Resistance (glazed Tiles)				
I) Stain Resistance	Min Class 1	Min Class 3	Min Class-1/ Class-3	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to Household Chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

Note: ** GVT tiles have resistance to most of the stains and chemicals, but it is recommended to take care during laying and everyday maintenance.

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles Used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com

NOTES