SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump,
B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

VITRO / CAT / MARCH - 2025

LUXORA

collection

1200x1800mm | 800x1600mm



SOMANY


Discover the Timeless
Elegance of
Double Charged
Vitrified Tiles
1200x1800mm | 800x1600mm

Create a luxurious and sophisticated ambience

Let the shades of grey slate add an air of sophisticated class.

page no. 08
1200x 1800mm

page no. 34
800x 1600mm

LYRA WHITE
1200x1800mm
800x1600mm

LYRA CREMA
1200x1800mm
800x1600mm

NYOTA CREMA
1200x1800mm
800x1600mm

NYOTA WHITE
1200x1800mm
800x1600mm

CANIS WHITE
1200x1800mm

ALTAIR WHITE
1200x1800mm

RITZ WHITE
800x1600mm

ACE WHITE
800x1600mm

ARION ULTRA WHITE
800x1600mm



ARION GREY
800x1600mm

10 Surfaces **2** Size **1** Finish

Slated for **Sophistication**



DOUBLE CHARGE VITRIFIED TILE COLLECTION

Designed to create a luxurious and sophisticated ambience, our Collection enhances the visual appeal of any space. With meticulously crafted tile designs, these tiles not only elevate the aesthetic but also increase the value of your property. Enjoy lasting beauty and performance for years.



DOUBLE CHARGE
VITRIFIED TILES

You will be floored by the sophisticated beauty!

This collection features double-charged vitrified technology, offering superior durability and stain resistance. With a diverse range of muted shades and patterns, it suits various aesthetics that exude sophistication. These tiles are easy to clean and maintain and perfect for residential and commercial spaces.

Size: 1200x1800mm, 800x1600mm | Finish: Full Polish

Technical Features

- SUITABLE FOR INDOOR AREAS
- SUITABLE FOR LIGHT TRAFFIC AREAS
- NANO TECHNOLOGY
- RESISTANT TO LIQUID
- RESISTANT TO HIGH TEMPERATURE
- CHEMICAL AND STAIN RESISTANT
- FROST RESISTANCE
- HYGIENIC SURFACE
- RESISTANT TO SCRATCHES
- EASY TO CLEAN
- IMPACT RESISTANT
- RESISTANT TO UV RAYS

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

THE
PERFECT TOUCH
FOR A
Morden Aesthetic



SOMANY VITRO

1200x 1800mm

LUXORA COLLECTION

Double charge vitrified tiles in the 1200x1800mm size are a premium choice for creating a spacious and seamless aesthetic. Manufactured with advanced technology, they feature a dual-layer pigment process, ensuring exceptional strength and vibrant designs.

NANO TECH | ANTI STAIN | HIGHLY DURABLE | ECO FRIENDLY | GLOSS FINISH



A CANVAS OF PURE WHITE,
PURE LUXURY

NANO TECH

ANTI STAIN

HIGHLY DURABLE

ECO FRIENDLY

GLOSS FINISH



800x1600mm
Available in
same design

LYRA WHITE

Size: 1200x1800mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: LYRA WHITE | Size: 1200x1800mm | Finish: Full Polish



Tile Shown: LYRA WHITE | Size: 1200x1800mm | Finish: Full Polish



TIMELESS BEAUTY
UNMATCHED STRENGTH

NANO TECH
ANTI STAIN
HIGHLY DURABLE
ECO FRIENDLY
GLOSS FINISH



800x1600mm
Available in same design

LYRA CREMA

Size: 1200x1800mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: LYRA CREMA | Size: 1200x1800mm | Finish: Full Polish



Tile Shown: LYRA CREMA | Size: 1200x1800mm | Finish: Full Polish



FEEL THE LUXURY
BENEATH YOUR FEET

NANO TECH

ANTI STAIN

HIGHLY DURABLE

ECO FRIENDLY

GLOSS FINISH



800x1600mm
Available in
same design

NYOTA WHITE

Size: 1200x1800mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: NYOTA WHITE | Size: 1200x1800mm | Finish: Full Polish



Tile Shown: NYOTA WHITE | Size: 1200x1800mm | Finish: Full Polish



BUILT TO LAST,
DESIGNED TO IMPRESS

NANO TECH

ANTI STAIN

HIGHLY DURABLE

ECO FRIENDLY

GLOSS FINISH



NYOTA CREMA

Size: 1200x1800mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

800x1600mm
Available in same design

Tile Shown: NYOTA CREMA | Size: 1200x1800mm | Finish: Full Polish



Tile Shown: NYOTA CREMA | Size: 1200x1800mm | Finish: Full Polish



AMPLIFYING THE TIMELESS
ELEGANCE OF WHITE

NANO TECH

ANTI STAIN

HIGHLY DURABLE

ECO FRIENDLY

GLOSS FINISH



CANIS WHITE

Size: 1200x1800mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: CANIS WHITE | Size: 1200x1800mm | Finish: Full Polish



Tile Shown: CANIS WHITE | Size: 1200x1800mm | Finish: Full Polish



A CELESTIAL EXPERIENCE,
RIGHT IN YOUR SPACE

Tile Shown: ALTAIR WHITE | Size: 1200x1800mm | Finish: Full Polish

SOMANY VITRO

NANO TECH

ANTI STAIN

HIGHLY DURABLE

ECO FRIENDLY

GLOSS FINISH



ALTAIR WHITE

Size: 1200x1800mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY



Tile Shown: ALTAIR WHITE | Size: 1200x1800mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

CREATE
A MASTERPIECE
WITH

Glossy Tiles



SOMANY VITRO

800x 1600mm

LUXORA
COLLECTION

Double charge vitrified tiles are premium, durable tiles manufactured by infusing two layers of pigment during production, creating a strong and visually appealing surface. The 800x1600mm size is ideal for large spaces, offering a seamless and luxurious look.

NANO TECH · ANTI STAIN · HIGHLY DURABLE · ECO FRIENDLY · GLOSS FINISH



EXCEPTION STRENGTH
WITH A TOUCH OF LUXURY

NANO TECH

ANTI STAIN

HIGHLY DURABLE

ECO FRIENDLY

GLOSS FINISH



1200x1800mm
Available in
same design

LYRA WHITE

Size: 800x1600mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: LYRA WHITE | Size: 800x1600mm | Finish: Full Polish



UNMATCHED DURABILITY,
TIMELESS BEAUTY

NANO TECH

ANTI STAIN

HIGHLY DURABLE

ECO FRIENDLY

GLOSS FINISH



1200x1800mm
Available in
same design

LYRA CREMA

Size: 800x1600mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: LYRA CREMA | Size: 800x1600mm | Finish: Full Polish

SOMANY VITRO



SHINE BRIGHT WITH
FULL POLISH POWER!



NANO TECH
ANTI STAIN
HIGHLY DURABLE
ECO FRIENDLY
GLOSS FINISH

1200x1800mm
Available in
same design

NYOTA WHITE

Size: 800x1600mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: NYOTA WHITE | Size: 800x1600mm | Finish: Full Polish

SOMANY VITRO



NANO TECH
ANTI STAIN
HIGHLY DURABLE
ECO FRIENDLY
GLOSS FINISH



1200x1800mm
Available in
same design

NYOTA CREMA

Size: 800x1600mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: NYOTA CREMA | Size: 800x1600mm | Finish: Full Polish



STYLE THAT SPARKLES,
QUALITY THAT ENDURES



ARION ULTRA WHITE

Size: 800x1600mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: ARION ULTRA WHITE | Size: 800x1600mm | Finish: Full Polish





ARION GREY

Size: 800x1600mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY



REFLECTING PERFECTION
CRAFTED FOR LUXURY



ACE WHITE

Size: 800x1600mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: ACE WHITE | Size: 800x1600mm | Finish: Full Polish



ELEVATE YOUR SPACE
WITH DOUBLE CHARGE BRILLIANCE.



RITZ WHITE

Size: 800x1600mm | Finish: Full Polish

DOUBLE CHARGE VITRIFIED TILES | ULTRA CHARGE TECHNOLOGY

Tile Shown: RITZ WHITE | Size: 800x1600mm | Finish: Full Polish

TECHNICAL SPECIFICATION

PACKING DETAIL FOR 1200x1800mm & 800x1600mm POLISHED VITRIFIED TILES				
Nominal Size (mm)	**Thickness**	**Avg. Weight per Carton (Kgs)**	**No. of Tiles Per Carton**	**Coverage Area Per Carton**
1200X1800 (Ultra Charge)	10 mm	100.00 Kgs. / Box (Appx)	2 Pcs.	4.32 Sq. Mtr /46.5 Sq. Ft.
800X1600 (Ultra Charge)	9.0 mm	50.50 Kgs. / Box (Appx)	2 Pcs.	2.56 Sq. Mtr / 27.55 Sq. Ft.

TECHNICAL SPECIFICATION FOR POLISHED VITRIFIED TILES				
Characteristics	**Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a**	**Requirement as per ISO 13006:2018 ≤ 0.5% Group B I a**	**Our Values**	**Test Method**
Dimension & Surface Quality				
Length & Width %	± 0.10%	± 0.5%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
Thickness %	± 5.00%	± 5.00%	± 4.0%	
Straightness of Side %	± 0.10%	± 0.50%	± 0.10%	
Rectengularity %	± 0.10%	± 0.60%	± 0.10%	
Surface Flatness				
Center curvature (%) (Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Edge curvature (%) (Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Corner warpage (%)(Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
Physical Properties				
Water Absorption	Average ≤ 0.08%, Individual Max.0.1%	Av ≤ 0.5 %, Individual 0.6% max	<0.08%, Individual Max 0.1%	IS 13630 Part 2/ ISO 10545-3
Modulus of Rupture [N/mm²]	Avr 35, Individual 32 Min	Avr 35, Individual 32 Min	Avr. > 35, Individual 32	IS 13630 Part 6/ISO 10545-4
Breaking Strength in N	1300	Min 1300	Min 1300	
Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
Scratch Hardness of surface (Mohs)	Min 5	N.A	Min 5	IS 13630 Part 13
Coefficient of Linear Thermal Expansion from Ambient Temperature to 100 0 C	6 X 10 ⁻⁶ K⁻¹ max	Test method available	6 X 10 ⁻⁶ K⁻¹ max	IS 13630 Part 4/ ISO 10545-8
Thermal Shock Resistance	10 cycle Min	Required	10 cycle passed	IS 13630 Part 5/ISO-10545-9
Crazing Resistance	4 cycle @ 7.5bar min	Not Applicable	Not Applicable	IS 13630 Part 9/ISO 10545-11
Impact Resistance as Co-efficient of Restitution (COR)	0.55 min	Test method available	0.55 Min	IS 13630 Part 14/ISO 10545-5
Deep Abrasion Resistance [in mm³]	140 Max	Max 175	Max 140	IS 13630 PART 12/ISO 10454-6
Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
Stain & Chemical Resistance (Un-glazed Tiles)				
Stain Resistance	Min Class 2	Manufacturer to state the class	Min Class 2	IS 13630 Part 7/ISO 10545-14
Resistance to Household Chemicals	Min Class AA	Min Class UB	Class UA	IS 13630 Part 7/ISO 10545-13
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Test method available	Class ULB (Low Conc) Class UHB (High Conc)	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed.
Complaints will not be entertained for Borders, Highlighters & Motifs.

NOTES

SOMANY VITRO

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code.

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Blanco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com