

RANGE VOL 2 | NOV 2025 UNIT 03

SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

MARVELA / CATALOGUE / NOV 2025

UNIT 03 RANGE VOL 2 | NOV 2025


MARVELA

800 x 1600mm

SOMANY

REDEFINING SPACES - THE MARVELA WAY

The Marvela FLORTUFF collection is a reflection of dreams built, lives lived, and memories made-quietly powerful, perpetually graceful. Crafted in a refined 800x1600mm Size, it reflects a design philoshophy attuned to modern interiors. From the brilliance of High Gloss, which amplifies colour and design, to the mirror-like sheen of Full Polished that reflects light and elevates visual appeal, from the textured depth of matt Carving to the gentle softness of velvety Matt-each finish is thoughtfully curated to suit the most discerning tastes. At its core lies advanced engineering-high in performance, unwavering in quality. It is a quiet expression of permanence, persence, and personality-where every step feels intentional, every detail whispers elegance. When spaces are designed with Marvela, they become silent witnesses to life's applause-every step, every glance, every moment.





TECHNICAL FEATURES

- NON-REFLECTIVE
- THERMAL RESISTANT
- TEMPERATURE RESISTANT
- CHEMICAL RESISTANT
- WATER REPELLENT
- ABRASION & WEAR RESISTANT
- FROST RESISTANT
- HYGIENIC & SAFE

APPLICATION AREAS

- RESIDENTIAL AREAS
- COMMERCIAL AREAS
- HOSPITALS
- HOTELS AND RESTAURANTS
- SCHOOLS AND COLLEGES
- OUTDOOR FURNITURE
- SHOPS AND MALLS
- PUBLIC PLACES

INDEX

HIGH GLOSS

GRAN AFFRESCO BLACK HG

PG No. 10

GRAN BAMPTON BLUE HG

PG No. 10

GRAN GREYSON GREY HG

PG No. 11

FULL POLISHED

GRAN CHIFFON SILVER FP

PG No. 12

GRAN SARAH NATURAL FP

PG No. 12

GRAN VALONIA CREMA FP

PG No. 13

GRAN VALONIA GREY FP

PG No. 13

GRAN ARIZONA IVORY FP

PG No. 14

GRAN ARKANA LIGHT GREY FP

PG No. 14

GRAN BRECHA BIANCO FP

PG No. 16

GRAN BRECHA CREMA FP

PG No. 16

GRAN IZMIR BIANCO FP

PG No. 17

GRAN IZMIR GREY FP

PG No. 17

GRAN ESPLENDOR WHITE FP

PG No. 18

GRAN LAPARED WHITE FP

PG No. 18

GRAN LICORICE WHITE FP

PG No. 20

GRAN PASTEL TEAL ONYX FP

PG No. 20

GRAN POTOMAC ONYX FP

PG No. 21

FULL POLISHED

GRAN QUASAR WAVE FP

PG No. 21

GRAN SAN REMO GRIS FP

PG No. 22

GRAN SAN REMO CARAMEL FP

PG No. 22

GRAN SANTELMO BEIGE LIGHT FP

PG No. 24

GRAN SANTELMO BEIGE FP

PG No. 24

GRAN RELIANCE SATUTARIO FP

PG No. 25

GRAN UNIQUE STATUARIO FP

PG No. 25

GRAN VERSUS BIANCO FP

PG No. 26

GRAN VERSUS CREMA FP

PG No. 26

GRAN VANILLA BIANCO FP

PG No. 28

GRAN WINONA LIGHT GREY FP

PG No. 28

GRAN VIZER BIANCO FP

PG No. 29

GRAN VIZER GREY FP

PG No. 29

MATT CARVING

GRAN ALERO BEIGE CR

PG No. 30

GRAN ALERO GREY CR

PG No. 30

GRAN CORMAC DARK BEIGE CR

PG No. 32

GRAN COSIMA GOLD CR


PG No. 32

GRAN DAVINA BROWN CR

PG No. 33


GRAN ECLECTIC BIANCO CR

PG No. 33



GRAN AFFRESCO
BLACK HG

800x1600mm
HIGH GLOSS




V4



GRAN BAMPTON
BLUE HG

800x1600mm
HIGH GLOSS



V4



GRAN GREYSON
GREY HG

800x1600mm
HIGH GLOSS



V3



WALL: GRAN BAMPTON BLUE HG
FLOOR: GRAN BAMPTON BLUE HG



GRAN CHIFFON
SILVER FP

800x1600mm
FULL POLISHED
(ENDLESS)

V4





GRAN SARAH
NATURAL FP

800x1600mm
FULL POLISHED
(ENDLESS)

V4





GRAN VALONIA
CREMA FP

800x1600mm
FULL POLISHED
(ENDLESS)

V3





GRAN VALONIA
GREY FP

800x1600mm
FULL POLISHED
(ENDLESS)

V2





FLOOR: **GRAN ARIZONA IVORY FP**

GRAN ARIZONA
IVORY FP

800x1600mm
FULL POLISHED

V4



GRAN ARKANA
LIGHT GREY FP

800x1600mm
FULL POLISHED

V4

GRAN BRECHA
BIANCO FP

800x1600mm
FULL POLISHED

V4

GRAN BRECHA
CREMA FP

800x1600mm
FULL POLISHED

V4

GRAN IZMIR
BIANCO FP

800x1600mm
FULL POLISHED

V3



GRAN IZMIR
GREY FP

800x1600mm
FULL POLISHED

V3





GRAN ESPLENDOR
WHITE FP

800x1600mm
FULL POLISHED



V3



GRAN LAPARED
WHITE FP

800x1600mm
FULL POLISHED



V3



WALL: **GRAN ARIZONA IVORY FP**
FLOOR: **GRAN ESPLENDOR WHITE FP**

BEAUTY
BEYOND
PERFECTION



GRAN LICORICE
WHITE FP

800x1600mm
FULL POLISHED

V4



GRAN PASTEL TEAL
ONYX FP

800x1600mm
FULL POLISHED

V4

GRAN POTOMAC
ONYX FP

800x1600mm
FULL POLISHED

V4



GRAN QUASAR
WAVE FP


800x1600mm
FULL POLISHED

V3





WALL: **GRAN SAN REMO GRIS FP**
FLOOR: **GRAN SAN REMO GRIS FP**



GRAN SAN REMO
GRIS FP

800x1600mm
FULL POLISHED

V4





GRAN SAN REMO
CARAMEL FP

800x1600mm
FULL POLISHED

V4





GRAN SANTELMO
BEIGE LIGHT FP

800x1600mm
FULL POLISHED

V3



GRAN SANTELMO
BEIGE FP

800x1600mm
FULL POLISHED

V3





GRAN RELIANCE
SATUTARIO FP

800x1600mm
FULL POLISHED

V4





GRAN UNIQUE
STATUARIO FP

800x1600mm
FULL POLISHED

V4



GRAN VERSUS
BIANCO FP

800x1600mm
FULL POLISHED



V4

GRAN VERSUS
CREMA FP

800x1600mm
FULL POLISHED

V4



WALL: **GRAN VERSUS BIANCO FP**
FLOOR: **GRAN VERSUS BIANCO FP**

FLAWLESS
REFLECTION
STYLE

GRAN VANILLA
BIANCO FP

800x1600mm
FULL POLISHED

V4

GRAN WINONA
LIGHT GREY FP

800x1600mm
FULL POLISHED

V4



GRAN VIZER
BIANCO FP

800x1600mm
FULL POLISHED

V4





GRAN VIZER
GREY FP

800x1600mm
FULL POLISHED

V4





WALL: **GRAN ALERO GREY CR**
FLOOR: **GRAN ALERO GREY CR**

SPACES
THAT EXUDE
CLASSINESS

GRAN ALERO
BEIGE CR

800x1600mm
MATT CARVING

V4



GRAN ALERO
GREY CR

800x1600mm
MATT CARVING

V4



GRAN CORMAC
DARK BEIGE CR

800x1600mm
MATT CARVING

V4





GRAN DAVINA
BROWN CR

800x1600mm
MATT CARVING

V4





GRAN COSIMA
GOLD CR

800x1600mm
MATT CARVING

V4



GRAN ECLECTIC
BIANCO CR

800x1600mm
MATT CARVING

V4

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR MARVELA				
Nominal Size	Thickness (mm)	Average Weight Per Carton (Kgs)	No. of Slab Per Carton	Coverage Area Per Carton
800x1600mm	9.0	53.00	2	2.56sq.mtr. / 27.55sq.ft.

TECHNICAL SPECIFICATION FOR MARVELA				
Characteristics	Requirement as Per IS 15622 : 2017 E ≤ 0.03 Group B I a	Requirement as Per ISO 13006 : 2018 0.5% ≤3.0% Group B I a	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.1 %	± 0.3 %	± 0.1 %	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0 %	± 5.0 %	± 4.0%	
iii) Straightness of Side	± 0.1 %	± 0.3 %	± 0.1 %	
iv) Rectangularity	± 0.1 %	± 0.3 %	± 0.1 %	
v) Surface Flatness				
a) Center Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
b) Edge Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
c) Corner Warpage (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
vi) Surface Quality	Min. 95% of Surface will be free from Visible Defects	Min. 95% of Surface will be free from Visible Defects	Min. 95% of Surface will be free from Visible Defects	
B) Physical Properties				
I) Water Absorption	Avg. 0.08 < E ≤ 3 %, Individual Max. 3.3%	Avg. 0.5 < E ≤ 3 %, Individual Max. 3.3%	0.08 - 3.0 %	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Avg. 30, Individual 27 Min	Avg. 30, Individual 27 Min	Avg. > 35	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1100	1100	Min, 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO 10545-10
v) Scratch Hardness of Surface (Mohs)	Min 5	N.A	Min. 5 (For Matt & Cr0, Min. 3 (For FP & HG)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle Passed	Class-V (For Matt & CR), Class-III (For FP & HG)	IS 13630 Part 11/ISO 10545-7
vii) Coefficient of Liner Thermal Expansion From Ambient Temperature to 100° C	6 X 10⁻⁶ K⁻¹ Max	Test Method Available	Max 6 X 10⁻⁶ K⁻¹ Max	IS 13630 Part 4/ISO 10545-8
viii) Thermal Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5/ISO 10545-9
ix) Crazing Resistant	4 Cycle @ 7.5 Bar Min	Required	4 Cycle Passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Test Method Available	0.55 Min	IS 13630 Part 14/ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
I) Stain Resistant	Min Class 1	Min Class 3	Class-1 (For Matt & CR), Class-2 (For FP & HG)	IS 13630 Part 7/ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min B	Min Class AA	IS 13630 Part 7/ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Declared Value	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces — walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com