SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)



UNIT 06 RANGE VOL 1 | MARCH 2026

MARVELA

MOBON
collection

600 x 1200mm


SOMANY

MOBON
collection

Not every stone carries a story. Marble does. Born of the earth's earliest silence, forged in the deep patience of millennia into something irreplaceable. The MOBON collection inherits it, carrying forward the veins, the tonal shifts, where geological rarity meets the precision of contemporary design.

Available in 600x1200mm, each format spans three distinct finishes. Full Polished renders veining with mirror-like clarity, light and shadow folding into luminous depth across every plane. Matt brings a velvety, understated presence, absorbent in tone, grounded in raw stillness, entirely without performance. Matt Carving restores sculpted dimension and carved relief, its textural tactility felt as much as seen.

MOBON is engineered to resist stains, repel the gradual accumulation of dirt, enduringly frost resistant and unmarked by the relentless wear of daily life. Whether enriching contemporary spaces or anchoring corporate atriums, adorning bathrooms or defining retail environments, elevating kitchens or transforming hospitality interiors, MOBON does not simply cover a surface. It defines it.



TECHNICAL FEATURES

HIGH GLOSS SURFACE
Our strong High-Gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambience with Gloss Unit(GU): 95-100.

SUPERIOR MATT SURFACE
Our Matt finish surfaces feature a subtle, refined (low-reflection) finish that softens light and minimises glare. This makes them ideal for a variety of settings.

ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS
Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI (Polished – III, Matt – IV) ensures durability and maintains their pristine appearance for years.

EASY TO CLEAN
They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.

NON-REFLECTIVE
THERMAL RESISTANT
TEMPERATURE RESISTANT
FROST RESISTANT
CHEMICAL RESISTANT
WATER REPELLENT
ABRASION & WEAR RESISTANT
HYGIENIC SURFACE

APPLICATION AREAS

RESIDENTIAL AREAS
COMMERCIAL AREAS
HOSPITALS
SHOPS AND MALLS
HOTELS AND RESTAURANTS
SCHOOLS AND COLLEGES
OUTDOOR FURNITURE
PUBLIC PLACES



INDEX

FULL POLISHED

MOBON ALABASTRO GREY FP	10
MOBON ALABASTRO NERO FP	10
MOBON CARLING CREMA FP	10
MOBON CARLING ROSSO FP	11
MOBON CAVALI BEIGE FP	11
MOBON CAVALI BROWN FP	11
MOBON CELIO BIANCO FP	12
MOBON CELIO DARK GREY FP	12
MOBON DOLCE CALCATTA FP	12
MOBON EASTON STATURIO FP	13
MOBON FANTACY SATUTARIO FP	13
MOBON WHITE FP	13
MOBON MARLEY BROWN FP	16
MOBON MARLEY CREMA FP	16
MOBON MONET MARFIL FP	16
MOBON PICASO SILVER FP	17
MOBON RAVELLO LIGHT GREY FP	17

MATT | MATT CARVING

MOBON CLAVIO BIANCO	18
MOBON CLAVIO BROWN	18
MOBON CLAVIO CREMA	18
MOBON CLAVIO VARDE	19
MOBON MORRIS BIANCO	19
MOBON MORRIS NERO	19
MOBON MORRIS CREMA	22
MOBON MORRIS CHOCO	22
MOBON JOLINE BIANCO CR	23
MOBON JOLINE NREO CR	23
MOBON NICOLE BIANCO CR	24
MOBON NICOLE GREY CR	24
MOBON NICOLE SILVER CR	24



600x 1200mm

From the mirror-like depth of Full Polished to the grounded presence of Matt and the tactile relief of Matt Carving, MOBON carries the same material conviction across every space it enters. From the quiet calm of a private bathroom to the grand scale of hotel lobbies, corporate floors, and retail interiors, the surface changes, the character never does.

WALL TILES · FLOOR TILES · HIGH DEFINITION · INTERIORS · RANDOM PRINT



WALL: **MOBON ALABASTRO GREY FP**
FLOOR: **MOBON ALABASTRO NERO FP**



WALL: **MOBON ALABASTRO GREY FP**
FLOOR: **MOBON ALABASTRO NERO FP**



V4



MOBON ALABASTRO GREY FP

600x1200mm
FULL POLISHED

360° View



V4



MOBON CARLING ROSSO FP

600x1200mm
FULL POLISHED

360° View



V4



MOBON ALABASTRO NERO FP

600x1200mm
FULL POLISHED

360° View



V4



MOBON CAVALI BEIGE FP

600x1200mm
FULL POLISHED

360° View

V4

MOBON CARLING CREMA FP

600x1200mm
FULL POLISHED

360° View



V4



MOBON CAVALI BROWN FP

600x1200mm
FULL POLISHED

360° View

V4

MOBON CELIO BIANCO FP

600x1200mm
FULL POLISHED

360° View

V4

MOBON EASTON STATURIO FP

600x1200mm
FULL POLISHED

360° View



V4



MOBON CELIO DARK GREY FP

600x1200mm
FULL POLISHED

360° View



V4

MOBON FANTACY SATUTARIO FP

600x1200mm
FULL POLISHED

360° View



V4

MOBON DOLCE CALCATTA FP

600x1200mm
FULL POLISHED

360° View

V4

MOBON WHITE FP

600x1200mm
FULL POLISHED

360° View



WALL: **MOBON CELIO DARK GREY FP | MOBON CELIO BIANCO FP**
FLOOR: **MOBON CELIO DARK GREY FP**



WALL: **MOBON CELIO DARK GREY FP | MOBON CELIO BIANCO FP**
FLOOR: **MOBON CELIO DARK GREY FP**



MOBON MARLEY BROWN FP

600x1200mm
FULL POLISHED

V4



360° View



MOBON MARLEY CREMA FP

600x1200mm
FULL POLISHED

V4




360° View



MOBON MONET MARFIL FP

600x1200mm
FULL POLISHED

V4




360° View



MOBON PICASO SILVER FP

600x1200mm
FULL POLISHED

V4



360° View



MOBON RAVELLO LIGHT GREY FP

600x1200mm
FULL POLISHED

V4

360° View

V4

MOBON CLAVIO BIANCO

600x1200mm
MATT

360° View



V4




MOBON CLAVIO VARDE

600x1200mm
MATT

360° View



V4



MOBON CLAVIO BROWN

600x1200mm
MATT

360° View

V4

MOBON MORRIS BIANCO

600x1200mm
MATT

360° View

V4

MOBON CLAVIO CREMA

600x1200mm
MATT

360° View



V4



MOBON MORRIS NERO

600x1200mm
MATT

360° View



WALL: **MOBON CLAVIO VARDE**
FLOOR: **MOBON CLAVIO VARDE**



FLOOR: **MOBON CLAVIO VARDE**

V4

MOBON MORRIS CREMA

600x1200mm
MATT

360° View



V4



MOBON MORRIS CHOCO

600x1200mm
MATT

360° View



V4




MOBON JOLINE BIANCO CR

600x1200mm
MATT CARVING

360° View



V4



MOBON JOLINE NREO CR

600x1200mm
MATT CARVING

360° View

MARVELA FLORTUFF

MOBON NICOLE BIANCO CR

600x1200mm
MATT CARVING

V4



360° View



MOBON NICOLE GREY CR

600x1200mm
MATT CARVING

V4




360° View



MOBON NICOLE SILVER CR

600x1200mm
MATT CARVING

V4



360° View




WALL: **MOBON NICOLE SILVER CR**
FLOOR: **MOBON NICOLE SILVER CR**

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR MOBON COLLECTION				
Nominal Size (mm)	Thickness (mm)	Avg. Wt. Per Carton (Kgs.)	No. of Tiles Per Carton	Coverage Area Per Carton
600x1200mm	8.8mm	**28.5**	**2**	1.44sq.mtr./15.50 sq.ft.

TECHNICAL SPECIFICATION FOR MOBON COLLECTION				
Characteristics	Requirement as per IS 15622 :2017 0.08 < E ≤ 3% Group B I b	Requirement as per ISO 13006:2018 0.5 ≤ E ≤ 3% Group B I b	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.1 %	± 0.3 %	± 0.1 %	IS 13630 Part 1 / ISO 10545-2
ii) Thickness	± 5.0 %	± 5.0 %	± 4.0 %	
iii) Straightness of Side	± 0.1 %	± 0.3 %	± 0.1 %	
iv) Rectangularity	± 0.1 %	± 0.3 %	± 0.1 %	
v) Surface Flatness				
a) Center Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
b) Edge Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
c) Corner Warpage (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Avg. 0.08 < E ≤ 3%, Individual 3.3 Max	Avg. 0.5 < E ≤ 3%, Individual 3.3 Max	Avg. E ≤ 3.0 %	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture (N/mm²)	Avg. 30, Individual 27 Min	Avg. 30, Individual 27 Min	Avg. > 30	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min 1100	Min 1100	Min 1100	
iv) Moisture Expansion in mm/m	**0.02**	Test Method Available	**0.02**	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	**Min 5**	N/A	Min.5 (For Matt), Min.3 (For Polished)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	**Min II**	Abrasion Class & Cycle Passed	Class III (For Polished), Class IV (For Matt)	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100° C	7 X 10 ⁻⁶ K⁻¹ Max	Test Method Available	6 X 10 ⁻⁶ K⁻¹ Max	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 Cycle @ 7.5 Bar Min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant Coefficient of Restitution (COR)	0.55 Min	Test Method Available	0.55 Min	IS 13630 Part 14 / ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min Class 3	Min Class 1 (For Matt), Min Class 2 (For Polished)	IS 13630 Part 8 / ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Declared Value	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces — walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com