
SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

VITRO / DUSKY / CATALOGUE / MAY 2026



UNIT 03 RANGE VOL 3 | MAY 2026

DUSKY
collection

FULL BODY VITRIFIED TILES

600 x 1200mm | 600 x 600mm


SOMANY VITRO


VERVE | tech HOMOGENEA

In subtlety, there is strength.
In simplicity, sophistication.

The Dusky is a full-body vitrified tile collection where structural integrity meets enduring aesthetics. An advanced manufacturing process ensures uniform distribution of coloured chips throughout the tile body, resulting in a consistent composition from surface to the core. Fine-grained designs dance across the surface in gentle speckled patterns, creating subtle visual uniformity through both 600x1200mm and 600x600mm sizes. Expressed in luminous Full Polished surfaces that radiate contemporary elegance, or refined Matt finishes that offer tactile warmth and muted sophistication.

The Dusky seamlessly transitions from residential interiors to commercial environments, from sheltered utility zones to open-air terraces. Excellent for high-traffic and industrial applications, this collection brings resilient elegance to institutional facilities, high-traffic commercial spaces, and residential interiors.





TECHNICAL FEATURES

- Water Repellent
- Temperature Resistant
- Non-Reflective
- Thermal Resistant
- Frost Resistant
- Chemical Resistant
- Abrasion and Wear-Resistant
- Hygienic Surface
- Load and Stress-Resistant

APPLICATION AREAS

- Residential Areas
- Commercial Areas
- Hospitals
- Schools and Colleges
- Outdoor Furniture
- Public Places
- Shops and Malls
- Hotels and Restaurants

Size: 600x1200mm | FULL BODY VITRIFIED TILES

Page No. 08-19



FB DUSKY S&P
BEIGE MATT



FB DUSKY S&P
CREMA MATT



FB DUSKY S&P
DARK GREY MATT



FB DUSKY S&P
LIGHT GREY MATT

FB DUSKY S&P
WHITE MATT

FB DUSKY S&P
WHITE POLISH



FB DUSKY S&P
BROWN MATT



FB DUSKY S&P
KOTA GREEN MATT

FB DAZEL
TUSK MATT

FB DAZEL
TUSK POLISH

Size: 600x600mm | FULL BODY VITRIFIED TILES

Page No. 20-35



FB DUSKY S&P
BEIGE MATT



FB DUSKY S&P
BEIGE POLISH

FB DUSKY S&P
CREMA MATT

FB DUSKY S&P
CREMA POLISH

FB DUSKY S&P
WHITE MATT

FB DUSKY S&P
WHITE POLISH



FB DUSKY S&P
LIGHT GREY MATT




FB DUSKY S&P
LIGHT GREY POLISH



FB DUSKY S&P
BROWN MATT



FB DUSKY S&P
KOTA GREEN MATT



FB DUSKY S&P
DARK GREY MATT

FB SATIN
IVORY




SARA MATT



SARA POLISH







600x1200mm

FULL BODY VITRIFIED TILES

Contemporary design finds its zenith in Dusky's expansive magnificence. Inspired by fine-grained natural textures, this format delivers exceptional design freedom across Full Polished and Matt finishes. Crafted for hospitals, high-traffic corridors, institutional facilities, commercial complexes, and parking facilities.



Floor: **FB DUSKY S&P CREMA MATT** Size: 600x1200mm | Surface: MATT | FULL BODY VITRIFIED TILES



FB DUSKY S&P BEIGE MATT

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : MATT

ZOOM TILES →






FB DUSKY S&P CREMA MATT

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : MATT

ZOOM TILES →






FB DUSKY S&P DARK GREY MATT

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : MATT

ZOOM TILES →






FB DUSKY S&P LIGHT GREY MATT

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : MATT

ZOOM TILES →





Floor: **FB DUSKY S&P BROWN MATT** Size: 600x1200mm | Surface: MATT | FULL BODY VITRIFIED TILES

FB DUSKY S&P WHITE MATT

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : MATT

ZOOM TILES →






FB DUSKY S&P WHITE POLISH

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : FULL POLISHED

ZOOM TILES →





FB DUSKY S&P BROWN MATT

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : MATT

ZOOM TILES →






FB DUSKY S&P KOTA GREEN MATT

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : MATT

ZOOM TILES →





Floor: **FB DAZEL TUSK MATT** Size: 600x1200mm | Surface: MATT | FULL BODY VITRIFIED TILES

FB DAZEL TUSK MATT

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : MATT

ZOOM TILES

FB DAZEL TUSK POLISH

FULL BODY VITRIFIED TILES
Size : 600x1200mm
Surface : FULL POLISHED

ZOOM TILES





600x600mm

FULL BODY VITRIFIED TILES

Understated luxury attains perfect expression in Dusky's meticulous articulation. Capturing the aesthetics of fine-grained speckled surfaces with uniform composition, this format offers seamless integration in Full Polished and Matt finishes. Designed for residential kitchens, utility spaces, staircases, terraces, and open-plan living spaces.



Floor: **FB DUSKY S&P CREMA MATT** Size: 600x600mm | Surface: MATT | FULL BODY VITRIFIED TILES





FB DUSKY S&P BEIGE MATT

ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT





FB DUSKY S&P BEIGE POLISH

ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : FULL POLISHED



FB DUSKY S&P CREMA MATT

ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT



FB DUSKY S&P CREMA POLISH

ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : FULL POLISHED



Floor: **FB DUSKY S&P LIGHT GREY MATT** Size: 600x600mm | Surface: MATT | FULL BODY VITRIFIED TILES



FB DUSKY S&P WHITE MATT

ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT





FB DUSKY S&P WHITE POLISH

ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : FULL POLISHED





FB DUSKY S&P LIGHT GREY MATT

ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT





FB DUSKY S&P LIGHT GREY POLISH

ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : FULL POLISHED



Floor: **FB DUSKY S&P KOTA GREEN MATT** Size: 600x600mm | Surface: MATT | FULL BODY VITRIFIED TILES



FB DUSKY S&P BROWN MATT

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT



ZOOM TILES





FB DUSKY S&P KOTA GREEN MATT


FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT



ZOOM TILES





FB DUSKY S&P DARK GREY MATT

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT



ZOOM TILES



FB SATIN IVORY

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT



ZOOM TILES





Floor: **SARA POLISH** Size: 600x600mm | Surface: FULL POLISHED | FULL BODY VITRIFIED TILES



SARA MATT



ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : MATT



SARA POLISH



ZOOM TILES

FULL BODY VITRIFIED TILES

Size : 600x600mm
Surface : FULL POLISHED


PACKAGING DETAIL FOR DUSKY COLLECTION				
Nominal Size (mm)	Thickness (mm)	Avg. Wt. Per Carton (Kg.)	No. of Tiles Per Carton	Coverage Area Per Carton
600X1200mm (FB Dusky S&P Matt)	8.5 mm	26.50 Kgs. / Box (Appx)	2 Pcs.	1.44 Sq. Mtr / 15.50 Sq. Ft.
600X1200mm (FB Dusky S&P Polished)	8.2 mm	26.00 Kgs. / Box (Appx)	2 Pcs.	1.44 Sq. Mtr / 15.50 Sq. Ft.
600X600mm (FB Dusky S&P Matt)	8.5 mm	26.50 Kgs. / Box (Appx)	4 Pcs.	1.44 Sq. Mtr / 15.50 Sq. Ft.
600X600mm (FB Dusky S&P Polish)	8.2 mm	26.00 Kgs. / Box (Appx)	4 Pcs.	1.44 Sq. Mtr / 15.50 Sq. Ft.

TECHNICAL SPECIFICATION FOR DUSKY COLLECTION				
Characteristics	Requirement as Per IS 15622 :2017 E ≤ 0.08 Group B I b	Requirement as Per ISO 13006:2018 ≤ 0.5% Group B I a	Our Values	Test Method
Dimension & Surface Quality				
Length & Width %	± 0.10%	± 0.5%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
Thickness %	± 5.00%	± 5.00%	± 4.0%	
Straightness of Side %	± 0.10%	± 0.50%	± 0.10%	
Rectangularity %	± 0.10%	± 0.80%	± 0.10%	
Surface Flatness				
Center Curvature (%) (Max. Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Edge Curvature (%) (Max. Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Corner Warpage (%)(Max. Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Surface Quality	Min. 95 % of Tiles will be free from Visible Defects	Min. 95 % of Tiles will be free from Visible Defects	Min. 95 % of Tiles will be free from Visible Defects	
Physical Properties				
Water Absorption	Avg. ≤ 0.08%, Individual Max. 0.1%	Avg. ≤ 0.5 %, Individual 0.6% max	<0.08%, Individual Max 0.1%	IS 13630 Part 2/ ISO 10545-3
Modulus of Rupture [N/mm²]	Avg. 35, Individual 32 Min	Avg. 35, Individual 32 Min	Avg. > 35, Individual 32	IS 13630 Part 6/ISO 10545-4
Breaking Strength in N	1300	Min 1300	Min 1300	
Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
Scratch Hardness of Surface (Mohs)	Min 5	N.A	Min 5	IS 13630 Part 13
Coefficient of Linear Thermal Expansion from Ambient Temperature to 100° C	6 X 10 ⁻⁶ K⁻¹ Max	Test Method Available	6 X 10 ⁻⁶ K⁻¹ Max	IS 13630 Part 4/ ISO 10545-8
Thermal Shock Resistant	10 Cycle Min	Required	10 Cycle Passed	IS 13630 Part 5/ISO-10545-9
Crazing Resistant	4 Cycle @ 7.5 Bar Min	Not Applicable	Not Applicable	IS 13630 Part 9/ISO 10545-11
Impact Resistant as Co-Efficient of Restitution (COR)	0.55 Min	Test Method Available	0.55 Min	IS 13630 Part 14/ISO 10545-5
Deep Abrasion Resistant [in mm³]	140 Max	Max 175	Max 140	IS 13630 PART 12/ISO 10454-6
Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
Stain & Chemical Resistant (Un-Glazed Tiles)				
Stain Resistant	Min Class 2	Manufacturer to State the Class	Min Class 2	IS 13630 Part 7/ISO 10545-14
Resistant to Household Chemicals	Min Class UB	Min Class UB	Class UB	IS 13630 Part 7/ISO 10545-13
Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Test Method Available	Class ULB (Low Conc) Class UHB (High Conc)	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code.

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome

Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles Used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com