



600x1200mm

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY



DURAGRES
Timeless Elegance

Choice of the Superstar
Salman Khan

SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.
Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599
Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913
www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



DURAGRES / CAT / MARCH 2021

UNIT-3 FOR WEST

VALOR
COLLECTION

GLAZE VITRIFIED TILES

Feel
THE FINISHES

SOMANY[®]
DURAGRES


VALOR
COLLECTION

04



LUCIDO

08



FULL POLISH

23



MATT

32



CARVING

41



VC

42 / 43




LAPPATO / WOOD

INDEX




GRANDE VALOR LUCIDO OCEAN BLUE
High Gloss, 600x1200mm




GRANDE VALOR LUCIDO ARMANI BROWN
High Gloss

V4




GRANDE VALOR LUCIDO EMPERADOR BROWN
High Gloss

V4



GRANDE VALOR LUCIDO MARQUINA BLUE
High Gloss

V3



GRANDE VALOR LUCIDO MARINE BLACK
High Gloss

V3



GRANDE VALOR LUCIDO OCEAN BLUE
High Gloss

V3



GRANDE VALOR LUCIDO PULPIS BRONZE
High Gloss

V3

600x1200MM

FULL POLISH




SOMANY
DURAGRES




GRANDE VALOR ARMANI BEIGE FP
Full Polish

V4



GRANDE VALOR ARMANI GREY FP
Full Polish

V4



GRANDE VALOR ARISH WHITE FP
Full Polish

V3




GRANDE VALOR ATLAS BEIGE FP
Full Polish

V3



GRANDE VALOR ATENEA BLUE FP
Full Polish

V3



GRANDE VALOR BRECCIA BEIGE FP
Full Polish


V4

600x1200MM

FULL POLISH



SOMANY
DURAGRES



GRANDE VALOR BRECCIA GREY FP
Full Polish

V4




GRANDE BOTTOCHINO CREMA FP
Full Polish

V4




GRANDE VALOR CALLIS BEIGE FP
Full Polish

V4



GRANDE VALOR CALLIS BROWN FP
Full Polish

V4



GRANDE VALOR CALLIS LIGHT GREY FP
Full Polish

V4



GRANDE VALOR CALLIS DARK GREY FP
Full Polish

V4



600x1200MM

FULL POLISH



SOMANY
DURAGRES



GRANDE VALOR CANCUN CREMA FP
Full Polish

V3



GRANDE VALOR ETERNA GREY FP
Full Polish

V2



GRANDE VALOR ETERNA NATURA FP
Full Polish

V2




GRANDE VALOR EMILIA MARFIL FP
Full Polish

V2



GRANDE VALOR FLOS OYSTER FP
Full Polish

V3



GRANDE VALOR FLOS ROSATO FP
Full Polish

V3

600x1200MM

FULL POLISH



SOMANY[®]
DURAGRES

NEW



GRANDE VALOR FLOS LIGHT GREY FP
Full Polish

V3


NEW



GRANDE VALOR FLOS DARK GREY FP
Full Polish


V3

NEW



GRANDE VALOR FLOS WENGE FP
Full Polish


V3



GRANDE GLAICER WHITE FP
Full Polish

V1

NEW




GRANDE VALOR GOLD STATUARIO FP
Full Polish

V3



GRANDE VALOR NAVONNA BEIGE FP
Full Polish

V4



GRANDE VALOR ONYX QUARTZ FP
Full Polish

V4




GRANDE VALOR PARISION IVORY FP
Full Polish

V4




GRANDE VALOR PERLATO BEIGE FP
Full Polish

V4



GRANDE VALOR STATURIO FP
Full Polish

V2



GRANDE VALOR STATUARIO VENATO FP
Full Polish

V4



600x1200MM

FULL POLISH



MATT

SOMANY²
DURAGRES




GRANDE VALOR TRAVERTINE BEIGE FP
Full Polish

V4



GRANDE VALOR TRAVERTINE GREY FP
Full Polish

V4




GRANDE VALOR VEGAS GOLD FP
Full Polish

V3



GRANDE VALOR ASPERO BIANCO
Matt

V4



GRANDE VALOR ASPERO GREY
Matt

V4



GRANDE VALOR ASPERO BEIGE
Matt

V4



GRANDE VALOR ASPERO BROWN
Matt

V4



GRANDE VALOR BRITTSTONE BEIGE
Matt

V4



GRANDE VALOR BRITTSTONE LIGHT GREY
Matt

V4



GRANDE VALOR BRITTSTONE BROWN
Matt

V4



GRANDE VALOR BRITTSTONE DARK GREY
Matt

V4



GRANDE VALOR LISTON LIGHT GREY V4
Matt



GRANDE VALOR LISTON GREY DECOR V1
Carving



GRANDE VALOR LISTON GREY V4
Matt



GRANDE VALOR LISTON BEIGE V4
Matt



GRANDE VALOR LISTON BROWN DECOR V1
Carving



GRANDE VALOR LISTON BROWN V4
Matt



GRANDE VALOR LISTON LIGHT GREY
GRANDE VALOR LISTON GREY DECOR
GRANDE VALOR LISTON GREY
Matt, 600x1200mm



GRANDE VALOR SANDSTONE LIGHT GREY
Matt

V4



GRANDE VALOR SANDSTONE DARK GREY
Matt

V4




GRANDE VALOR SANDSTONE BEIGE
Matt

V4



GRANDE VALOR SANDSTONE BROWN
Matt

V4



GRANDE VALOR IMP ATHENA BROWN
Carving

V4



GRANDE VALOR IMP AVALLON GREY
Carving

V3



GRANDE VALOR IMP AVALLON NERO
Carving

V3




GRANDE VALOR IMP AVALLON CREMA
Carving

V3



GRANDE VALOR IMP AVALLON BROWN
Carving

V3



GRANDE VALOR IMP AVALLON MOCHA
Carving

V3



GRANDE VALOR IMP ASTOR MUSHROOM
Carving

V3



GRANDE VALOR IMP ATLAS BIANCO
Carving

V3




GRANDE VALOR IMP ATLAS CREMA
Carving

V3




GRANDE VALOR IMP CORAS STATUARIO
Carving

V4



GRANDE VALOR IMP CHIPS GREY LIGHT
Carving

V3



GRANDE VALOR IMP CHIPS GREY DARK
Carving

V3




GRANDE VALOR IMP DRAGO GREY DARK
GRANDE VALOR IMP DRAGO GREY LIGHT
Carving, 600x1200mm



GRANDE VALOR IMP CANCUN CREMA
Carving

V3



GRANDE VALOR IMP DRAGO GREY LIGHT
Carving

V4



GRANDE VALOR IMP DRAGO GREY DARK
Carving

V4



GRANDE VALOR IMP HONEYWOOD
Carving

V3



GRANDE VALOR IMP LYCRA BROWN
Carving

V4




GRANDE VALOR IMP OROMIA GOLD
Carving

V3



GRANDE VALOR IMP VOLGA BEIGE
Carving

V4



GRANDE VALOR IMP VEGAS GOLD
Carving

V3



GRANDE VALOR PORT LOREN BEIGE VC
VC

V3



GRANDE VALOR PORT LOREN GREY VC
VC

V3



GRANDE VALOR STATUARIO VC
VC

V2


600x1200MM

LAPPATO



WOOD

SOMANY
DURAGRES



GRANDE VALOR LAVIGATO KYRIAN BLACK
Lappato

V3



GRANDE VALOR LAVIGATO NILSON BLUE
Lappato

V3



GRANDE VALOR SUAVE WOOD BEIGE
Wood

V3



GRANDE VALOR SUAVE WOOD BROWN
Wood

V3




GRANDE VALOR LAVIGATO NILSON BLUE
LAPPATO, 600x1200mm

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



V1 Uniform Appearance **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follow:

V1 Minimal Variation **V3** Random Variation **V2** Slight Variation **V4** Substantial Variation



High Definition Image

While laying the tiles please follow the arrow on the back of the tiles.

For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder

Notes

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

Technical Specification

| PACKING DETAIL FOR 600x1200MM GVT TILES | | | | |
|---|---------------|---------------------------------|-------------------------|---------------------------|
| Nominal Size(mm) | Thickness(mm) | Average weight per carton (Kgs) | No. of tiles per carton | Coverage area per carton |
| 600x1200mm | 9.2 | 29.60 | 2 | 1.44sq.mtr. / 15.50sq.ft. |

| TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES | | | | |
|---|--|--|--|-------------------------------|
| Characteristics | Requirement as per IS 15622 :2017 E ≤ 0.08 Group Bla | Requirement as per ISO 13006 ≤ 0.5% Group Bla | Our Values | Test Method |
| A) Dimension & Surface Quality | | | | |
| I) Length & Width | ± 0.10% | ± 0.5% | ± 0.10% | IS 13630 Part 1/ ISO 10545-2 |
| ii) Thickness | ± 5.0% | ± 5.0% | ± 4.0% | |
| iii) Straightness of Side | ± 0.10% | ± 0.50% | ± 0.10% | |
| iv) Rectengularity | ± 0.10% | ± 0.60% | ± 0.10% | |
| v) Surface Flatness | | | | |
| a) Center curvature (%) (max.Deviation) | ± 0.50% | ± 0.50% | ± 0.2 % | |
| b) Edge curvature (%) (max.Deviation) | ± 0.50% | ± 0.50% | ± 0.2 % | |
| c) Corner warpage (%) (max.Deviation) | ± 0.50% | ± 0.50% | ± 0.2 % | |
| vi) Surface Quality | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | |
| B) Physical Properties | | | | |
| i) Water Absorption | Av. E ≤ 0.08%, Individual 0.1 max | Av ≤ 0.5 %, Individual 0.6% max | Av. E ≤ 0.08 % | IS 13630 Part 2/ ISO 10545-3 |
| ii) Modulus of Rupture [N/mm2] | Av 35, Individual 32 min | Av 35, Individual 32 min | Avg.40 Ind 38 | IS 13630 Part 6/ISO 10545-4 |
| iii) Breaking Strength in N | 1300 | 1300 | Min, 1500 | |
| iv) Moisture Expansion in mm/m | 0.02 | Test Method Available | 0.02 | IS 13630 Part 3/ISO-10545-10 |
| v) Scratch Hardness of surface (Mohs) | Min 5 | N/A | Min-5(for VC & RT), Min. 3(for polished) | IS 13630 Part 13 |
| vi) Resistance to Abrasion of glazed tiles(Class I to V) | Min II | Abrasion Class & Cycle passed | Class-V(for VC & RT) Class-III(for polished) | IS 13630 Part 11 /ISO 10545-7 |
| vii) Coefficient of linear thermal expansion from embiant temperature to 100° C | 6 X 10 ⁻⁶ K ⁻¹ max | Test Method Available | Max 6 X 10 ⁻⁶ K ⁻¹ max | IS 13630 Part 4/ ISO 10545-8 |
| viii) Thermal Shock Resistance | 10 cycle min | Test Method Available | 10 cycle passed | IS 13630 Part 5/ISO-10545-9 |
| ix) Crazing Resistance | 4 cycle @ 7.5bar min | Required | 4 cycle passed | IS 13630 Part 9/ISO 10545-11 |
| x) Impact Resistance as Co-efficient of Re stitution | 0.55 min | Required | Min 0.55 | ISO 10545-5 |
| xi) Frost Resistance | Required | Required | 100 Cycle Passed | IS 13630 Part 10/ISO 10545-12 |
| C) Chemical Resistance (glazed Tiles) | | | | |
| i) Stain Resistance | Min Class 1 | Min Class 3 | Min Class-1(For Matt), Min. Class-2(for polished) | IS 13630 Part 8 &ISO 10545-14 |
| ii) Resistance to household chemicals | Min Class AA | Min Class GB | Min Class AA | |
| iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds) | Required if agreed | Declared Value | Min Class AA | IS 13630 Part 8/ ISO 10545-13 |